

~~RESTRICTED~~

RM A52B19

NACA RM A52B19

MAY 6 1952

UNCLASSIFIED

**NACA**

# RESEARCH MEMORANDUM

LOW-SPEED AERODYNAMIC CHARACTERISTICS OF A LARGE-SCALE  
45° SWEEP-BACK WING WITH PARTIAL-SPAN SLATS,  
DOUBLE-SLOTTED FLAPS, AND AILERONS

By Harry A. James

Ames Aeronautical Laboratory  
Moffett Field, Calif.

**CLASSIFICATION: CANCELLED**

Authority J.W. Crawley 12-11-53  
20-10501  
By JH 1-8-54 See NACA  
REF 1760

CLASSIFIED DOCUMENT

This material contains information affecting the National Defense of the United States within the meaning of the espionage laws, Title 18, U.S.C., Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.

**NATIONAL ADVISORY COMMITTEE  
FOR AERONAUTICS**

WASHINGTON  
April 28, 1952

NACA LIBRARY  
LANGLEY AERONAUTICAL LABORATORY  
Langley Field, Va.

~~RESTRICTED~~

UNCLASSIFIED



UNCLASSIFIED

## NATIONAL ADVISORY COMMITTEE FOR AERONAUTICS

RESEARCH MEMORANDUM

## LOW-SPEED AERODYNAMIC CHARACTERISTICS OF A LARGE-SCALE

45° SWEEP-BACK WING WITH PARTIAL-SPAN SLATS,

DOUBLE-SLOTTED FLAPS, AND ALLERONS

By Harry A. James

## SUMMARY

Experimental data from force and pressure tests on a large-scale, semispan, wing-fuselage model are presented. The wing had 45° of sweep-back, an aspect ratio of 6, a taper ratio of 0.5, and an NACA 64A010 section normal to the quarter-chord line of the unswept panel and was equipped with partial-span slats, aileron, and double-slotted flaps. Longitudinal force and moment characteristics are given for the model with various combinations of slat spans, with and without double-slotted flaps. Rolling-moment data for various aileron deflections are also included.

Pressure-distribution measurements in tabulated form are included for five of the more significant configurations tested.

## INTRODUCTION

Low-speed test results on two large-scale 45° swept-back wings, one with and the other without camber and twist, equipped with partial-span, double-slotted flaps were reported in reference 1. As a continuance of the program of investigating the effects of various high-lift devices, tests have been made in the Ames 40- by 80-foot wind tunnel using the plain wing equipped with partial-span slats along with the same double-slotted flaps previously used. Aileron-effectiveness data also are included for the various configurations tested. The bulk of these force and moment tests were made at a Reynolds number of  $8 \times 10^6$ ; however, for tests of some configurations the Reynolds number was varied from 2.5 to  $8 \times 10^6$ .

In order to make these data available in a minimum of time after testing, no analysis of results is included.

~~RESTRICTED~~

UNCLASSIFIED

## NOTATION

The data are presented in the form of standard NACA coefficients which are applicable to a full-span configuration except for the rolling moment. The pitching moments are referred to the quarter-chord point of the mean aerodynamic chord (fig. 1).

$C_D$  drag coefficient  $\left( \frac{\text{twice drag of semispan model}}{qS} \right)$

$C_L$  rolling-moment coefficient  $\left( \frac{\text{rolling moment due to deflection of one aileron}}{qSb} \right)$

$C_L$  lift coefficient  $\left( \frac{\text{twice lift of semispan model}}{qS} \right)$

$C_{L_{\max}}$  maximum lift coefficient

$C_{L_{\text{sep}}}$  lift coefficient for which there is an abrupt increase in the rate of drag rise

$C_m$  pitching-moment coefficient  $\left( \frac{\text{twice pitching moment of semispan model}}{qS\bar{c}} \right)$

L lower surface of wing

P pressure coefficient  $\left( \frac{p_l - p_o}{q} \right)$

R Reynolds number, based on  $\bar{c}$

S twice area of semispan model, square feet

U upper surface of wing

b twice span of semispan model, feet

$$\bar{c} \quad \text{mean aerodynamic chord} \left( \frac{\int_0^{b/2} c'^2 dy}{\int_0^{b/2} c' dy} \right), \text{ feet}$$

$c$  local chord measured perpendicular to quarter-chord line, feet

$c'$  local chord measured parallel to plane of symmetry, feet

$p_0$  free-stream static pressure, pounds per square foot

$p_l$  local static pressure, pounds per square foot

$q$  dynamic pressure, pounds per square foot

$y$  spanwise coordinate normal to plane of symmetry, feet

$\alpha$  angle of attack of wing root chord, degrees

$\delta_a$  aileron deflection relative to wing chord, in plane normal to 0.25 chord line (positive when trailing edge is down), degrees

$\delta_f$  flap deflection relative to wing chord, in plane normal to 0.25 chord line (positive when trailing edge is down), degrees

$\eta$  dimensionless lateral ordinate  $\left( \frac{y}{b/2} \right)$

#### MODEL AND APPARATUS

The principal dimensions of the semispan wing-fuselage model used in this test are shown in figure 1. The test model is essentially identical to the plain-wing model described in reference 1 having an aspect ratio of 6, a taper ratio of 0.5, and an NACA 64A010 section normal to the quarter-chord line of the unswept panel as shown in figure 1. Photographs of the semispan test installation are shown in figure 2.

Details of the aileron, slats, and double-slotted flaps are given in figure 3. The coordinates for the wing section and auxiliary

high-lift devices in planes normal to the quarter-chord line are given in tables I to IV, inclusive. Only one slat setting (section S-S as shown in fig. 3) was used throughout the test. Five slat spans were tested, all with the outboard end at 97-percent semispan and extending inboard from this point approximately 17, 37, 57, 77, and 83 percent (entire exposed leading edge) of the semispan. Details of the installations are shown in figure 3. The slat spans, as discussed in this report, are referenced to the intersection of the quarter-chord line with lines extending from the slat end points as shown in figure 3. The gap between the foreflap and main flap as used for the model of reference 1 was increased slightly to insure a smaller percentage change in this gap for the various flap deflections tested. Unless otherwise noted, the main flap was deflected  $55^\circ$ . The aileron was sealed by means of masking tape on the lower surface at the intersection of the aileron and wing to prevent air leakage from the lower surface to the upper surface.

The orifice stations are located on the basic plan form as noted in figure 4. Stations I, III, and VI correspond to the streamwise stations as used in the previous tests on this wing (reference 2).

#### TESTS AND CORRECTIONS

The force and moment tests of the semispan model with the various high-lift devices were made through an angle-of-attack range to include, as near as practical, zero and maximum lift.

The tests, in general, were made at a Reynolds number of  $8 \times 10^6$  (based on the wing mean aerodynamic chord of 6.21 ft) which corresponds to a dynamic pressure of about 55 pounds per square foot and a Mach number of 0.2.

The main flap of the double-slotted flap was deflected  $45^\circ$ ,  $50^\circ$ ,  $55^\circ$ , and  $60^\circ$  and the aileron  $\pm 10^\circ$ ,  $+15^\circ$ , and  $\pm 20^\circ$  as measured in planes normal to the quarter-chord line.

The following jet boundary corrections, computed from the method of reference 3 for a semispan unswept-wing installation without flaps, were added to the angle-of-attack and drag-coefficient data:

$$\alpha = 0.25 C_L$$

$$C_D = 0.0045 C_L^2$$

No corrections were made for the tunnel-floor boundary-layer air or for the leakage through the clearance gap (maximum of 1/2 inch) between the fuselage and the tunnel floor because these effects were found to be negligible.

The rolling-moment data for one aileron deflected, as presented, have not been corrected to correspond to that which would be obtained under an antisymmetric type of loading. A comparison of the theoretical symmetric and antisymmetric loading calculated by the methods of references 4 and 5 has shown this tunnel-wall correction to be negligible for this particular wing plan form. The pitching moments for the configurations with aileron deflected correspond to those that would be obtained on a full-span wing with the ailerons used as outboard flaps or elevons.

## RESULTS

The lift, drag, and pitching-moment characteristics of the semi-span wing-fuselage model (including fuselage forces) are presented in figures 5 through 24. The data, unless otherwise designated, are for a Reynolds number of  $8 \times 10^6$ . The results obtained with the slats extended are presented in figures 5 and 6, and with the aileron deflected, in figures 7 through 18. Data obtained for various deflections of the double-slotted flaps are shown in figures 19 and 20. Data obtained for various Reynolds numbers are included in figures 21 to 24.

Cross plots of  $C_{L_{max}}$  and  $C_{L_{sep}}$  versus slat span and Reynolds number are presented in figures 25 to 28. The variation of  $C_L$  for  $\alpha = 0^\circ$  with flap deflection is shown in figure 29.

Pressure data are presented for the slat extended condition for slat spans from 14- and 40-percent semispan to 97-percent semispan with and without flaps deflected, and also for the clean wing (slats retracted and sealed) with flaps deflected. The pressure data for these five configurations are included after the figures of force data in tables 5 through 9.

Ames Aeronautical Laboratory  
National Advisory Committee for Aeronautics  
Moffett Field, Calif.

## REFERENCES

1. James, Harry A., and Dew, Joseph K.: Effects of Double-Slotted Flaps and Leading-Edge Modifications on the Low-Speed Characteristics of a Large-Scale  $45^\circ$  Swept-Back Wing With and Without Camber and Twist. NACA RM A51D18, 1951.
2. Hunton, Lynn W., and Dew, Joseph K.: The Effects of Camber and Twist on the Aerodynamic Loading and Stalling Characteristics of a Large-Scale  $45^\circ$  Swept-Back Wing. NACA RM A50J24, 1951.
3. Glauert, H.: The Elements of Aerofoil and Airscrew Theory. The MacMillan Company, N. Y., 1943.
4. DeYoung, John: Theoretical Symmetric Span Loading Due to Flap Deflection for Wings of Arbitrary Plan Form at Subsonic Speeds. NACA TN 2278, 1951.
5. DeYoung, John: Theoretical Antisymmetric Span Loading for Wings of Arbitrary Plan Form at Subsonic Speeds. NACA TN 2140, 1950.

TABLE I.- COORDINATES OF THE AIRFOIL SECTIONS  
[Stations and ordinates given in percent of airfoil chord]

NACA 64A010	
Station	Ordinate
0	0
.5	.804
.75	.969
1.25	1.225
2.5	1.688
5	2.327
7.5	2.805
10	3.199
15	3.813
20	4.272
25	4.606
30	4.837
35	4.968
40	4.995
45	4.894
50	4.684
55	4.388
60	4.021
65	3.597
70	3.127
75	2.623
80	2.103
85	1.582
90	1.062
95	.541
100	.021
L.E. radius:	0.687
T.E. radius:	0.023

The NACA logo, which consists of the word "NACA" in a stylized font with a wing-like shape extending from the letters.



TABLE II.- ORDINATES FOR 0.25-CHORD FLAP

[Stations and ordinates given from airfoil chord line in percent airfoil chord]

Plain wing		
Station	Upper ordinate	Lower ordinate
75.000	-1.000	-1.000
75.150	-.371	-1.557
75.295	-.076	-1.712
75.587	.268	-1.956
75.882	.535	-2.095
76.177	.751	-2.179
76.765	1.057	-2.289
77.352	1.272	-2.320
77.942	1.414	-2.304
78.530	1.496	-2.260
79.705	1.594	-2.136
80.882	1.637	-2.003
82.060	1.648	-1.880
83.235	1.630	-1.762
84.410	1.583	-1.641
85.000	1.550	-1.582
86.250	1.453	-1.453
90.000	1.062	-1.062
95.000	.541	-.541
100.000	.021	-.021

L.E. radius: 0.95 (center on flap chord line).  
T.E. radius: 0.023



TABLE III.- ORDINATES FOR 0.075-CHORD FOREFLAP

[Stations and ordinates given from foreflap chord line  
in percent airfoil chord]


Station	Upper ordinate	Lower ordinate
0	0	0
.42	.95	-.93
.83	1.31	-1.14
1.25	1.52	-1.20
1.67	1.67	-1.11
2.08	1.72	-.85
2.92	1.74	-.36
3.75	1.64	-.02
4.58	1.43	.18
5.42	1.13	.27
6.25	.75	.25
7.08	.28	.11
7.50	0	0

L.E. radius: 1.20 (center  
on flap chord line)


 NACA

TABLE IV.- COORDINATES OF SURFACES FORMING THE SLOT  
WHEN SLAT IS EXTENDED

[Stations and ordinates given from airfoil chord line in  
percent airfoil chord]



(a) Ordinates for back of  
slat

Station	Ordinates
4.68	-2.26
5.00	-1.36
5.50	-.56
6.00	-.02
7.50	1.05
10.00	2.11
15.00	3.46
17.00	3.95

(b) Ordinates for front of  
main wing

Station	Ordinates
4.90	-2.30
5.00	-1.87
5.50	-.83
6.00	-.24
7.50	.91
10.00	2.04
15.00	3.44
17.00	3.95



TABLE V.- PRESSURE COEFFICIENTS<sup>1</sup> FOR THE WING WITH FLAPS DEFLECTED.  $R = 8 \times 10^6$

WING  $\alpha = -6.16$

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	C	D	VI	E
0	-0.68	-0.68	---	-0.31	-0.56	-1.14	---	-1.38
0.25	-1.28	-.36	---	-.36	-.67	---	---	-.62
0.5	-1.69	-1.41	-.97	-1.08	-1.34	-1.66	---	-1.83
1.0	-.45	-.46	-.93	-.89	-.15	-1.07	---	-1.76
1.5	-1.31	-3.10	-.77	-.83	-1.33	---	---	-1.67
2.0	-.41	-.40	-.35	-.28	-.37	-.45	---	-.48
2.5	-.98	-.97	-.68	---	-.79	-.54	---	-.58
3.0	-.35	-.51	-.25	---	-.25	-.35	---	-.34
3.5	-.64	-.73	-.65	-.56	-.80	-.80	---	-.78
4.0	-.29	-.38	-.18	---	-.25	-.42	---	-.38
4.5	-.72	-.68	-.40	---	-.52	-.66	---	-.64
5.0	-.84	-.81	-.19	---	-.19	-.16	---	-.20
5.5	-.17	-.56	-.38	---	-.47	-.54	---	-.54
6.0	-.80	-.15	-.08	-.05	-.12	-.27	---	-.20
10.0	-.13	-.07	-.01	-.03	-.07	-.15	---	-.14
15.0	-.42	-.04	-.04	-.25	-.29	---	---	-.07
17.5	-.08	---	---	-.06	-.04	-.11	---	-.10
20.0	---	-.09	-.12	---	-.03	-.08	---	-.07
30.0	-.39	-.19	-.11	---	-.25	-.30	0.36	-.51
40.0	-.02	-.19	-.08	-.21	-.10	-.04	---	-.04
50.0	-.02	-.21	-.07	-.21	-.27	-.27	---	-.26
60.0	-.11	-.29	-.26	-.28	-.18	-.08	---	-.05
70.0	-.23	-.02	-.08	-.02	-.17	-.22	---	-.23
80.0	-.19	-.38	-.38	-.32	-.08	-.07	---	-.06
90.0	-.17	-.09	-.12	-.07	-.14	-.19	---	-.19
95.0	-.24	-.42	-.36	-.37	-.14	-.09	---	-.04
98.0	-.06	-.18	-.19	-.14	-.11	-.12	0.14	-.11
100.0	-.52	-.64	-.55	-.54	-.22	-.05	---	-.01
75.0	---	-.76	-.52	---	-.28	-.08	---	-.05
80.0	-.82	-.96	-.74	0.91	-.15	-.03	---	-.08
85.0	-.06	-.28	-.18	---	-.08	-.02	---	-.04
90.0	-.78	---	---	---	-.10	-.04	0.04	-.04
95.0	---	---	---	---	-.06	-.03	---	-.04
98.0	---	---	---	---	-.15	-.04	---	-.06
100.0	---	---	---	---	-.10	-.04	---	-.06

WING  $\alpha = -6.14$

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	C	D	VI	E
0	-0.12	0.07	---	0.24	0.28	-0.28	---	-0.40
0.25	-.41	-.43	-.46	-.48	-.37	-.48	---	-.58
0.5	-.98	-.53	-.33	-.28	-.21	-.24	---	-.38
1.0	-.45	-.37	-.31	---	-.40	-.43	---	-1.44
1.5	-.89	-.72	-.31	---	-.26	-.28	---	-1.04
2.0	-.40	---	-.23	-.24	-.28	-.41	---	-.40
2.5	-.64	-.56	-.31	---	-.44	-.74	---	-.92
3.0	-.34	-.25	-.17	---	-.21	-.28	---	-.32
3.5	-.73	-.50	-.27	---	-.40	-.35	---	-.48
4.0	-.27	-.17	-.09	-.06	-.19	-.28	---	-.26
4.5	-.59	-.48	-.24	-.22	-.34	-.52	---	-.50
5.0	-.21	-.14	-.05	---	-.10	-.20	---	-.23
5.5	-.42	-.38	-.20	---	-.22	-.42	---	-.31
6.0	-.18	-.06	-.02	-.01	-.07	-.06	---	-.18
7.5	---	-.34	-.12	-.24	-.27	-.22	---	-.22
10.0	-.12	-.01	-.06	-.15	-.21	-.17	---	-.11
15.0	0.33	---	-.12	-.12	-.18	-.16	---	0.06
17.5	---	-.12	-.15	-.15	-.09	---	---	---
20.0	---	-.17	-.28	---	-.20	0.08	---	-.01
30.0	-.28	-.12	-.02	-.07	-.16	0.12	---	-.25
40.0	-.08	-.27	-.31	-.32	0.12	0.04	---	-.04
50.0	-.21	-.07	-.01	-.05	-.16	0	---	-.21
60.0	-.18	-.38	-.35	-.35	-.20	-.11	---	-.09
70.0	-.19	-.02	-.08	-.08	-.15	-.02	---	-.24
80.0	-.23	-.42	-.44	-.37	-.22	-.11	---	-.02
90.0	-.14	-.10	-.16	-.06	-.18	-.01	---	-.17
95.0	-.27	-.47	-.44	-.41	-.17	-.12	---	-.10
98.0	-.08	-.19	-.23	-.16	-.07	-.04	---	-.13
100.0	-.38	-.59	-.59	-.47	-.24	-.08	---	-.08
75.0	0.02	-.26	-.36	---	-.12	---	---	-.04
80.0	---	-.56	-.77	-.28	-.12	-.02	---	-.01
85.0	---	-.08	-.23	---	-.07	---	---	-.04
90.0	---	-.10	---	---	-.10	-.02	---	-.01
95.0	---	-.79	---	---	-.08	-.01	---	-.03
98.0	---	-.84	---	---	-.10	-.01	---	-.08
100.0	---	---	---	---	-.16	-.03	---	-.06

PORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-2.14	-1.61	-1.98
1.0	---	-3.66	-2.28
2.0	-.40	---	-.58
3.0	-.64	-3.77	-2.35
4.0	-3.69	-2.79	-1.73
5.0	-.67	-.30	-.49
6.0	-.80	-.82	---
75.0	-2.02	-1.62	-1.41
80.0	-.37	-.48	-.28
90.0	-.87	-1.00	-1.32
95.0	-.10	-.36	-.27

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0	-0.20	-0.15	-0.54
75.25	---	---	---
75.5	-.80	-.61	---
75.75	-.36	-.24	-.07
76.0	-1.10	-.79	-1.23
76.25	-.82	-.48	-.23
77.5	-1.89	-1.19	-1.28
80.0	-.70	---	---
80.0	-1.22	-1.24	-.79
82.5	-.85	-.64	-.25
85.0	-.10	-.01	-.05
85.0	-.75	-.62	-.20
90.0	-.54	-.45	-.49
90.0	-.43	-.54	-.46
95.0	-.43	-.52	-.35
95.0	-.30	-.16	-.53
98.0	-.29	-.19	-.29

PORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-2.18	-1.21	-1.77
1.0	---	-3.75	-2.69
2.0	---	-.45	-.34
3.0	-.64	-.26	-.39
4.0	-3.69	-2.82	-1.75
5.0	-.66	-.48	-.51
6.0	-2.68	-2.24	-1.47
75.0	-.50	-.21	---
80.0	-2.01	-1.64	-1.41
85.0	-.38	-.45	-.39
90.0	-1.05	-1.04	-1.32
95.0	-.10	-.33	-.22

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0	-0.20	-0.15	-0.56
75.25	---	---	---
75.5	---	-.02	-.07
75.75	-.61	-.44	---
76.0	-1.10	-.82	-1.24
76.25	-.82	-.46	-.20
77.5	-1.84	-1.22	-1.40
80.0	-1.27	-1.27	-.60
82.5	-.87	-.69	-.25
85.0	-.50	-.50	-.21
85.0	-.74	-.62	-.22
90.0	-.55	-.41	-.49
90.0	-.44	-.36	-.49
95.0	-.44	-.32	-.38
95.0	-.29	-.19	-.38
98.0	-.30	-.17	-.29



<sup>1</sup>Pressure coefficients tabulated are defined as  $(p - p_0)/q$

TABLE V. - CONTINUED

WING  $\alpha = -4.01$ 

Orifice Location Percent Chord	STATIONS							
	X	A	B	III	G	D	VI	H
0	0.80	0.58	---	0.48	0.46	0.38	---	0.31
0.25	0.48	0.30	0.28	0.28	0.28	0.21	---	0.44
0.5	0.37	0.10	0.50	0.28	---	0.18	---	0.48
1.0	0.44	0.12	0.19	0.08	0.08	0.25	---	0.34
1.5	0.37	0.07	0.14	0.06	0.04	0.14	---	0.28
2.5	0.41	0.10	0.17	0.01	0.01	0.28	---	0.48
3.5	0.38	0.08	0.17	0.09	0.09	0.09	---	0.14
5.0	0.38	0.11	0.07	0.02	0.04	0.19	---	0.08
7.5	0.15	0.08	0.19	0.20	0.11	0.09	---	0.09
10.0	0.08	0.14	0.08	0.02	0.06	0.19	---	0.28
15.0	0.30	0.14	0.03	0.01	0.05	0.19	---	0.08
17.5	0.04	0.12	0.24	0.06	0.14	0.12	---	0.08
20.0	0.02	0.18	0.06	0.08	0.18	0.05	---	0.02
30.0	0.03	0.07	0.02	0.04	0.06	0.14	---	0.48
40.0	0.02	0.20	0.28	0.24	0.18	0.11	---	0.08
50.0	0.02	0.01	0.01	0.01	0.06	0.19	---	0.10
60.0	0.02	0.24	0.27	0.28	0.22	0.13	---	0.09
70.0	---	---	---	0.22	0.21	0.11	---	0.07
75.0	---	0.26	0.54	0.09	0.19	0.07	---	0.09
80.0	---	0.04	0.04	0.03	0.07	0.15	---	0.18
85.0	---	0.15	0.34	0.31	0.24	0.18	---	0.12
90.0	---	0.15	0.04	0.06	0.10	0.14	---	0.20
95.0	---	0.22	0.42	0.44	0.28	0.18	---	0.15
---	---	0.14	0.08	0.08	0.08	0.15	---	0.17
---	---	0.29	0.47	0.50	0.48	0.38	---	0.19
---	---	0.10	0.18	0.15	0.07	0.18	---	0.14
---	---	0.33	0.52	0.46	0.45	0.20	---	0.13
---	---	0.05	0.20	0.21	0.05	0.07	---	0.09
---	---	0.38	0.72	0.63	0.59	0.05	---	0.06
---	---	0.04	0.27	0.26	0.10	0.03	---	0.04
---	---	---	---	---	0.29	0.04	---	0.06
---	---	---	---	---	0.03	0.02	---	0.01
---	---	---	---	---	0.08	0.08	---	0.02
---	---	---	---	---	0.10	0.02	---	0.02
---	---	---	---	---	0.10	0.02	---	0.01
---	---	---	---	---	0.10	0.02	---	0.01
---	---	---	---	---	0.10	0.02	---	0.01

WING  $\alpha = -1.88$ 

Orifice Location Percent Chord	STATIONS							
	X	A	B	III	O	D	VI	H
0	0.82	0.86	---	0.22	0.12	0.40	---	0.48
0.25	0.25	0.34	0.25	0.24	0.30	0.08	---	0.28
0.5	0.18	0.45	0.00	---	0.54	0.23	---	0.15
1.0	0.01	0.27	0.43	---	0.43	0.37	---	0.04
1.5	0.03	0.21	0.65	---	0.50	0.29	---	0.11
2.5	0.03	0.35	0.56	---	0.20	0.27	---	0.01
3.5	0.09	0.17	0.29	---	0.28	0.28	---	---
5.0	0.07	0.31	0.56	---	0.44	0.28	---	0.28
7.5	0.11	0.10	0.22	---	0.17	0.05	---	0.02
10.0	0.11	0.33	0.48	---	0.40	0.28	---	0.14
15.0	0.11	0.06	0.20	---	0.14	0.03	---	0.02
17.5	0.12	0.53	0.45	---	0.27	0.25	---	0.13
20.0	0.06	0.52	0.19	---	0.18	0.27	---	0.08
30.0	0.12	0.24	0.41	---	0.48	0.27	---	0.18
40.0	0.23	0.07	0.15	---	0.18	0.08	---	0.04
50.0	0.18	0.26	0.40	---	0.41	0.28	---	0.21
60.0	0.18	0.36	0.22	---	0.11	0.04	---	0.04
70.0	0.19	0.38	0.28	---	0.41	0.24	---	0.19
75.0	0.07	0.27	0.41	---	0.27	0.24	---	0.15
80.0	0.05	0.24	0.44	---	0.28	0.21	---	0.17
85.0	0.10	0.04	0.10	---	0.01	0.08	---	0.11
90.0	0.02	0.42	0.50	---	0.28	0.24	---	0.20
95.0	0.07	0.48	0.48	---	0.08	0.24	---	0.18
---	---	0.58	0.58	---	0.50	0.38	---	0.19
---	---	0.40	0.74	---	0.26	0.11	---	0.07
---	---	0.07	0.22	---	0.28	0.08	---	0.05
---	---	---	---	---	0.08	0.08	---	0.02
---	---	---	---	---	0.19	0.05	---	0.02
---	---	---	---	---	0.04	0.02	---	0.02
---	---	---	---	---	0.14	0.02	---	0.01
---	---	---	---	---	0.08	0.04	---	0.02
---	---	---	---	---	0.11	0.02	---	0.02
---	---	---	---	---	0.04	0.02	---	0.01
---	---	---	---	---	0.08	0.01	---	0.02
---	---	---	---	---	0.11	0.02	---	0.02
---	---	---	---	---	0.19	0.02	---	0.04
---	---	---	---	---	0.10	0.04	---	0.02

FORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-2.20	-1.90	-1.88
1.0	---	-3.75	-2.98
2.0	---	-3.85	-2.25
3.0	---	0.64	0.57
4.0	---	-2.72	-2.77
5.0	---	-2.70	-2.55
6.0	---	0.49	0.52
---	---	-2.01	-1.61
---	---	-1.27	-1.00
---	---	0.09	0.54

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0	-0.25	-0.17	-0.27
75.25	---	---	0.08
75.5	---	0.01	0.08
75.75	---	0.37	0.25
76.0	---	0.81	0.65
76.5	---	-1.12	-1.22
77.5	---	0.62	0.47
80.0	---	-1.85	-1.51
82.5	---	0.89	0.56
85.0	---	-0.97	-0.98
85.0	---	0.29	0.47
85.0	---	-0.55	-0.52
90.0	---	0.65	0.52
95.0	---	-0.45	-0.30
---	---	0.31	0.19

FORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-2.22	-1.94	-1.84
1.0	---	-3.85	-2.97
2.0	---	0.60	0.58
3.0	---	-3.78	-2.80
4.0	---	0.57	0.49
5.0	---	-2.69	-2.58
6.0	---	-2.02	-1.62
---	---	0.35	0.37
---	---	-1.25	-1.02
---	---	0.06	0.20

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0	-0.24	-0.20	-0.29
75.25	---	---	0.03
75.5	---	0.37	0.24
75.75	---	0.83	0.68
76.0	---	-1.12	-1.22
77.5	---	0.61	0.44
80.0	---	-1.84	-1.55
82.5	---	0.94	0.61
85.0	---	-0.94	-0.98
85.0	---	0.29	0.46
85.0	---	-0.70	-0.63
90.0	---	0.55	0.43
95.0	---	-0.40	-0.26
---	---	0.45	0.28
---	---	-0.26	-0.17
---	---	0.26	0.20

NACA



TABLE V. - CONTINUED

WING  $Q = 4.50$

Orifice Location Percent Chord		STATIONS							
		I	A	B	III	C	D	VI	E
0	U	-0.71	-3.18	---	-3.44	-5.0	-3.08	---	-1.88
	L	-1.51	-4.07	-4.40	-4.78	-4.80	-3.88	---	-2.58
0.5	U	.36	.52	-.96	.96	-.53	-.55	---	---
	L	-1.44	-3.18	-4.14	---	-3.5	-3.33	---	-3.35
1.0	U	-.46	0	-.19	---	-.11	-.09	---	-.51
	L	-1.80	---	-3.03	-2.78	-2.88	-2.13	---	-2.00
1.5	U	-.48	---	.30	.01	.54	-.37	---	-.44
	L	-1.00	-1.91	-2.39	---	-2.38	-1.87	---	-1.81
2.5	U	-.43	.45	.43	.17	.41	.43	---	---
	L	-.87	-1.61	-1.53	-2.15	-1.78	-1.53	---	-1.44
3.5	U	-.38	.46	.46	.46	.44	.44	---	-.38
	L	-.79	-1.55	-1.61	-1.66	-1.49	-1.29	---	-.98
5.0	U	-.33	.44	.45	---	.55	.41	---	-.25
	L	-.69	-1.16	-1.34	---	-1.34	-.94	---	-.90
7.5	U	---	.40	.47	---	.33	.44	---	---
	L	-.67	-1.01	-1.10	-1.17	-1.03	---	---	-.73
10.0	U	-.65	.34	.40	.42	.31	.32	---	-.97
	L	-.56	-.94	-.89	-1.01	-.93	-.81	---	-.89
15.0	U	-.29	---	.35	.37	.22	.08	---	-.11
	L	-.62	-.85	-.85	-.88	-.80	-.67	---	-.86
17.5	U	---	---	.82	.84	.70	---	---	-.48
	L	---	-.71	-.62	---	-.69	-.37	---	-.55
20.0	U	---	.14	.22	.38	.25	.15	---	-.18
	L	-.44	-.69	-.77	-.76	-.88	-.51	---	-.58
30.0	U	---	.11	.19	.23	.24	.12	---	-.09
	L	-.43	-.69	-.72	-.72	-.87	-.44	---	-.54
40.0	U	---	.07	.20	.22	.23	.08	---	-.04
	L	-.49	-.69	-.73	-.66	-.82	-.38	---	-.28
50.0	U	---	.08	.24	.25	.23	.06	---	-.03
	L	-.47	-.68	-.63	-.65	-.40	-.28	---	-.30
60.0	U	---	.11	.29	.27	.28	.02	---	-.01
	L	-.61	-.84	-.75	-.63	-.42	-.17	---	-.13
75.0	U	---	.15	.35	---	-.02	.04	---	-.03
	L	---	---	---	---	-.42	---	---	-.11
80.0	U	---	.66	1.12	-.86	1.05	-.12	---	-.11
	L	---	.18	.28	---	.01	.07	---	-.02
85.0	U	---	---	---	---	-.22	-.09	---	-.03
	L	---	---	---	---	-.05	.01	---	-.02
90.0	U	---	---	---	---	-.17	.04	---	.01
	L	---	---	---	---	-.07	-.03	---	-.03
95.0	U	---	---	---	---	-.84	.01	---	-.03
	L	---	---	---	---	-.02	-.04	---	-.05

WING  $Q = 6.58$

Orifice Location Percent Chord		STATIONS							
		I	A	B	III	C	D	VI	E
0	U	-1.67	-5.67	---	-6.94	-7.14	-5.40	---	-3.49
	L	-2.85	-6.14	-7.67	---	-7.35	-5.67	---	-4.34
0.5	U	-.05	-1.55	-2.12	---	-2.18	-1.69	---	-1.14
	L	-9.88	-8.94	-8.54	---	-8.87	-4.80	---	-3.44
1.0	U	.32	.53	-.83	---	-.70	-.87	---	-.03
	L	-1.64	---	-.42	-4.90	-6.87	-3.12	---	-2.75
1.5	U	.45	.21	.03	---	-.11	-.30	---	-.25
	L	-1.45	-2.09	-3.28	---	-3.17	-2.61	---	-2.29
2.5	U	.46	.37	.29	.07	.27	.36	---	---
	L	-1.84	-2.10	-3.44	-2.94	-2.38	-2.03	---	-1.89
3.5	U	.44	.47	.44	.48	.46	.45	---	-.42
	L	-1.08	-1.75	-2.09	-2.19	-1.87	-1.69	---	-1.28
5.0	U	.40	.49	.47	---	.46	.45	---	-.25
	L	-.98	-1.47	-1.74	---	-1.64	-1.18	---	-1.27
7.5	U	.48	.49	.48	---	.46	.48	---	---
	L	-.77	-1.25	-1.40	-1.49	-1.32	-.90	---	-.94
10.0	U	.35	.50	.44	.43	.40	.39	---	-.54
	L	-.71	-.92	-1.24	-1.29	-1.17	-1.01	---	-.84
15.0	U	---	.65	.89	1.02	.36	---	---	-.14
	L	---	-.65	-.68	-1.08	-.98	-.83	---	-.84
17.5	U	---	---	---	-1.01	-.85	-.78	---	-.87
	L	---	-.63	-.67	-1.01	-.82	-.69	---	-.84
30.0	U	---	.63	.77	.53	.52	.22	---	-.17
	L	---	.17	.24	.27	.29	.15	---	-.09
40.0	U	---	.59	.76	.79	.80	.68	---	-.17
	L	---	.12	.14	.12	.11	.06	---	-.02
50.0	U	---	.55	.74	.77	.78	.67	---	-.04
	L	---	.11	.27	.26	.26	.06	---	-.02
60.0	U	---	.52	.72	.72	.69	.44	---	-.04
	L	---	.14	.29	.27	.27	.06	---	-.03
70.0	U	---	.54	.68	.77	.86	.46	---	-.14
	L	---	.17	.33	.32	.32	.08	---	-.03
75.0	U	---	---	---	---	.46	---	---	-.14
	L	---	---	---	---	-.13	-.09	---	-.07
80.0	U	---	---	---	---	.09	-.08	---	-.01
	L	---	---	---	---	-.10	-.08	---	-.01
85.0	U	---	---	---	---	.0	.0	---	-.03
	L	---	---	---	---	-.08	-.08	---	-.01
90.0	U	---	---	---	---	.04	.02	---	-.04
	L	---	---	---	---	.0	-.01	---	-.04
95.0	U	---	---	---	---	.05	-.15	---	-.06
	L	---	---	---	---			---	

PORE FLAP

Orifice Location Percent Chord		STATIONS		
		A	III	B
0	U	-2.20	-1.90	-1.77
	L	---	-.76	-.89
1.0	U	.48	.45	.52
	L	---	-.90	-2.14
2.0	U	.63	.65	.68
	L	---	-3.61	-1.55
3.0	U	.85	.85	.85
	L	---	-.85	-.49
4.0	U	.47	.51	---
	L	---	-.47	-.51
5.0	U	-.19	-1.50	-1.89
	L	---	-.34	-.45
6.0	U	---	-.94	-1.22
	L	---	.09	.34

MAIN FLAP

Orifice Location Percent Chord		STATIONS		
		A	III	B
75.0	U	-0.27	0.19	-0.60
	L	---	---	0
75.5	U	-.81	-.45	---
	L	-.34	-.19	-.21
76.0	U	-1.10	-.82	-1.18
	L	-.59	-.43	-.44
77.5	U	1.77	-1.17	-1.86
	L	.49	.52	.55
80.0	U	-1.20	-1.16	-.79
	L	-.66	.51	.54
82.5	U	-.80	-.76	---
	L	-.60	-.47	-.51
85.0	U	-.60	-.54	-.56
	L	-.56	-.42	-.50
90.0	U	-.37	-.28	-.47
	L	-.48	-.31	-.38
95.0	U	-.25	-.14	-.36
	L	-.34	.20	-.33

PORE FLAP

Orifice Location Percent Chord		STATIONS		
		A	III	B
0	U	-2.16	-1.92	-1.78
	L	---	-.78	-.89
1.0	U	.48	.44	.57
	L	---	-5.51	-2.14
3.0	U	.63	.65	.68
	L	---	-3.58	-1.55
4.0	U	.85	.85	.85
	L	---	-2.81	-1.56
5.0	U	.47	.50	---
	L	---	-.85	-.48
6.0	U	---	-.94	-1.22
	L	---	.08	.36

MAIN FLAP

Orifice Location Percent Chord		STATIONS		
		A	III	B
75.0	U	-0.27	-0.19	-0.61
	L	---	---	0
75.5	U	-.78	-.45	---
	L	-.33	-.15	-.25
76.0	U	-1.07	-.82	-1.28
	L	-.57	-.42	-.44
77.5	U	-1.71	-1.18	-1.35
	L	-.67	-.52	-.55
80.0	U	-1.15	-1.13	-.80
	L	-.58	.81	.54
82.5	U	-.90	-.74	---
	L	-.61	-.47	-.58
85.0	U	-.64	-.52	-.56
	L	-.57	-.43	-.50
90.0	U	-.34	-.29	-.49
	L	-.48	-.31	-.38
95.0	U	-.22	-.14	-.36
	L	-.33	.21	-.33

TABLE V. - CONTINUED

WING  $\alpha = 8.40$

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	C	D	VI	E
0	-2.71	-3.80	---	---	-10.74	-8.68	---	-4.93
0.25 U	-5.68	-5.84	-3.07	-11.07	-10.41	-8.00	---	-4.86
1.0 U	-4.97	---	-1.85	-3.65	-8.85	-2.33	---	---
0.5 L	-5.16	---	-7.28	---	-7.40	-8.53	---	-3.98
1.0 L	-2.14	-1.35	-1.48	-5.04	-1.92	-1.14	---	-4.48
1.5 U	-2.16	---	-5.40	---	-3.88	---	---	-3.48
2.0 U	.45	---	-.38	---	-.86	-1.14	---	-.06
2.5 U	-1.87	-3.40	-3.69	---	-4.00	-5.48	---	-4.96
3.0 U	.80	.18	.08	---	.06	.16	---	---
3.5 U	-1.54	-2.70	-3.04	-3.44	-3.91	-2.24	---	-2.39
4.0 U	.82	.38	.36	.31	.33	.38	---	.40
5.0 U	-1.38	-2.22	-2.66	-2.88	-2.44	-2.17	---	-1.70
5.5 U	.80	.48	.44	.45	.42	.44	---	.87
6.0 U	-1.18	-1.86	-2.12	---	-2.08	-1.47	---	-1.49
7.5 U	-.81	.48	.47	---	.47	.49	---	---
8.0 U	-.44	-1.65	-1.70	-1.79	-1.84	.49	---	-1.16
10.0 U	-.82	-.37	-1.47	-1.84	-1.41	-1.25	---	-.39
15.0 U	-.45	---	.44	.45	.42	---	---	-.33
17.5 U	-.72	-1.18	-1.18	-1.27	-1.14	-.99	---	-.81
20.0 U	-.44	-.98	-1.11	-1.01	-.84	-.84	-.74	-.71
30.0 U	-.26	-.33	.38	.36	.31	.18	.25	.21
40.0 U	-.81	-.87	-.98	-.97	-.80	-.71	-.57	-.51
50.0 U	-.21	-.31	.33	.33	.28	.15	.13	.07
60.0 U	-.59	-.82	-.86	-.88	-.70	-.57	-.48	-.44
70.0 U	-.17	-.29	.30	.28	.16	.07	.03	.08
80.0 U	-.81	-.78	-.84	-.81	-.60	-.46	-.36	-.35
90.0 U	-.15	-.30	.30	.29	.18	.08	.02	.04
95.0 U	-.56	-.75	-.71	-.74	-.58	-.38	-.28	-.26
0 L	-.58	.33	.31	.29	.08	.06	.01	.06
0.25 L	-.80	.36	.33	.28	.02	.01	.01	.04
1.0 L	-.86	-1.18	-.87	-.89	-.46	-.15	-.10	-.08
1.5 L	.82	.31	.27	-.04	-.04	.09	-.05	-.01
2.0 L	---	---	---	---	.04	.12	-.08	-.08
3.0 L	---	---	---	---	.19	.06	-.04	-.08
4.0 L	---	---	---	---	.04	.04	-.01	.04
5.0 L	---	---	---	---	-.82	-.01	-.01	.01
6.0 L	---	---	---	---	-.07	.04	-.23	.08

WING  $\alpha = 10.40$

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	C	D	VI	E
0	-3.70	-11.27	-3.14	---	-1.88	-3.62	---	---
0.25 U	-3.45	-10.84	-2.93	-12.74	-1.20	-3.77	---	-2.84
1.0 U	-.96	-3.73	---	---	---	-.97	---	---
0.5 L	-3.73	-7.40	-2.97	---	-1.97	-3.21	---	-2.21
1.0 L	-.22	-2.26	-.98	---	-.12	-.37	---	-.14
1.5 U	-2.24	---	-2.74	-6.47	-1.26	-1.71	---	-1.70
2.0 U	.50	---	-.10	---	.27	.14	---	.80
2.5 U	-2.40	-4.24	---	---	-1.63	---	---	-1.38
3.0 U	.17	.13	.80	---	.56	.29	---	.48
3.5 U	-1.34	-2.93	-3.78	-4.60	-1.18	-1.48	---	-1.24
4.0 U	-.28	.24	.43	.22	.44	.40	---	.38
5.0 U	-1.64	-2.69	-2.84	-3.26	-1.18	-1.33	---	-1.17
5.5 U	.52	.28	.49	.42	.48	.42	---	.89
6.0 U	-1.36	-2.22	-2.74	---	-1.17	-1.20	---	-1.16
7.5 U	-.45	.58	.62	.49	.46	---	---	---
8.0 U	-1.09	-1.88	-2.25	-2.72	-1.14	---	---	-1.08
10.0 U	-.34	.48	.52	.55	.40	.37	---	.54
15.0 U	-.64	-1.90	-2.72	-2.18	-1.15	-1.14	---	-.85
17.5 U	.43	.49	.61	.37	---	---	---	.15
20.0 U	-.56	-1.24	-1.90	-1.58	-1.12	-.99	---	-.80
25.0 U	-.26	-1.06	-1.30	---	-1.11	-.89	---	-.77
30.0 U	-.35	.58	.41	.38	.27	.21	-.78	-.80
40.0 U	-.67	-.94	-1.06	-1.02	-1.06	-.79	-.63	-.60
50.0 U	-.88	-.33	.35	.38	.19	.14	.11	.07
60.0 U	-.63	-.86	-.98	-.88	-1.00	-1.73	.21	.03
70.0 U	-.22	-.28	.33	.33	.14	.07	.01	.03
80.0 U	-.68	-.83	-.91	-.79	-.94	-.66	-.44	-.48
90.0 U	-.21	.53	.52	.31	.10	.01	.02	.0
95.0 U	-.59	-.77	-.77	-.78	-.69	-.66	-.58	-.49
0 L	-.21	.55	.53	.31	.07	0	.06	.01
0.25 L	-.59	-.69	-.82	-.61	-.74	-.68	-.33	-.35
1.0 L	-.25	.37	.34	---	.01	.01	-.06	-.04
1.5 L	---	---	---	---	-.70	-.38	-.34	-.24
2.0 L	-.67	-1.12	-1.89	-.94	-.66	-.47	-.28	-.28
2.5 L	.28	.32	.28	.08	0	.02	.08	.07
3.0 L	---	---	---	---	.62	-.44	.22	.30
4.0 L	---	---	---	---	.08	-.12	.07	.07
5.0 L	---	---	---	---	.45	-.41	.24	.18
6.0 L	---	---	---	---	.09	-.12	.07	.08
7.5 L	---	---	---	---	-.25	-.38	-.20	-.25
8.0 L	---	---	---	---	-.17	-.18	-.27	-.10

PORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-2.14	-1.84	-1.69
1.0 U	---	-3.62	-2.56
1.5 U	.49	.43	.87
2.0 U	---	-3.81	-2.01
2.5 U	.54	.66	.86
3.0 U	-0.56	-2.46	-1.44
4.0 U	.87	---	.48
4.5 U	-2.48	-2.10	-1.27
5.0 U	.49	.52	---
5.5 U	-1.81	-1.40	-1.28
6.0 U	-1.37	-.88	-1.17
6.5 U	.10	.38	.22

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0 U	-0.25	0	-0.60
75.25 U	---	-.018	---
75.5 U	-.78	-.41	---
75.75 U	-.33	.18	-.01
76.0 U	-1.06	-.77	-1.14
76.25 U	.87	.49	.20
77.5 U	-1.68	-1.11	-1.28
80.0 U	.88	.81	.85
82.5 U	-1.10	-1.06	-.78
85.0 U	-.78	-.69	---
87.5 U	-.57	-.48	-.58
90.0 U	-.34	-.27	-.47
92.5 U	.49	.22	.39
95.0 U	-.23	-.15	-.36

PORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-2.08	-1.69	-1.65
1.0 U	---	-3.28	-2.21
1.5 U	.49	.45	.86
2.0 U	-3.27	-3.27	-1.96
2.5 U	.64	.68	.68
3.0 U	-3.20	-2.21	-1.40
4.0 U	.87	---	.48
4.5 U	-2.56	-1.89	-1.24
5.0 U	.49	.53	---
5.5 U	-1.74	-1.24	-1.19
6.0 U	-1.38	-.74	-1.17
6.5 U	.11	.39	.21

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0 U	-0.26	-0.13	0.80
75.25 U	---	-.35	---
75.5 U	---	.08	-.01
75.75 U	-.73	---	.19
76.0 U	-1.02	-.67	-1.06
76.25 U	---	.45	.42
77.5 U	-1.62	-.99	-1.30
80.0 U	.63	.52	.66
82.5 U	-1.05	-.97	-.77
85.0 U	-.65	-.52	-.64
87.5 U	-.72	-.64	---
90.0 U	-.62	-.48	-.65
92.5 U	-.64	-.44	-.68
95.0 U	-.58	-.54	-.61
97.5 U	-.38	-.26	-.46
98.0 U	-.61	-.33	-.58
98.5 U	-.23	-.18	-.36
99.0 U	.37	.23	.34

NACA



TABLE V. - CONTINUED

WING  $\alpha = 11.56$

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	C	D	VI	H
0	-5.87	-9.15	---	-8.71	-1.41	-8.86	---	-8.88
0.25	-5.80	-7.87	-8.08	---	-1.08	-1.99	---	-8.15
0.5	-1.88	-8.45	-1.35	-8.09	-.47	-.76	---	-1.76
1.0	-5.27	-5.51	-1.98	---	-1.08	-1.76	---	-1.76
1.5	-.40	-.69	-.57	---	-.15	-.27	---	-.10
2.0	-5.13	---	-1.84	-8.89	-1.18	-1.84	---	-1.84
2.5	-.85	-.85	-.07	-.08	-.30	-.17	---	-.81
3.0	-2.81	-4.97	-1.87	---	-1.04	---	---	-1.41
3.5	-.44	-.18	-.51	-.04	-.38	-.50	---	---
4.0	-8.10	-3.84	-1.81	-8.38	-1.00	-1.84	---	-1.81
4.5	-.54	-.22	-.48	-.41	-.48	-.41	---	-.58
5.0	-1.78	-8.22	-1.80	-8.38	-1.01	-1.15	---	-1.98
5.5	-.58	-.39	-.82	---	-.80	-.48	---	-.82
6.0	-1.45	-8.93	-1.77	---	-.99	-1.05	---	-1.85
6.5	---	-.46	-.54	---	-.51	-.46	---	-.48
7.0	-1.17	-8.59	-1.78	-8.20	-.98	-1.02	---	-1.00
7.5	-.49	-.51	-.53	-.53	-.45	-.40	---	-.50
8.0	-1.04	-1.98	-1.79	-8.17	-.97	-1.08	---	-.80
10.0	---	-.80	---	---	---	---	---	---
15.0	---	-1.49	-1.88	-8.05	-.96	-.89	---	-.89
17.5	---	---	---	-1.98	-.90	-.80	---	-.85
20.0	---	-1.15	-1.78	-1.95	-.91	-.78	-0.71	-.55
30.0	---	-.37	-.41	-.42	-.50	-.54	-.81	-.18
40.0	---	-1.71	-1.00	-1.46	-.87	-.74	-.82	-.58
50.0	---	-.30	-.35	-.36	-.21	-.18	-.12	-.07
60.0	---	-.87	-.95	-1.09	-.85	-.89	-.81	-.84
70.0	---	-.88	-.84	-.84	-.85	-.89	-.81	-.84
80.0	---	-.88	-.88	-.83	-1.06	-.86	-.84	-.88
90.0	---	-.81	-.80	-.77	-.92	-.85	-.89	-.81
95.0	---	-.80	-.81	-.81	-.79	-.82	-.86	-.81
98.0	---	-.88	-.88	-.85	---	-.01	---	-.04
99.0	---	---	---	---	---	---	---	---
100.0	---	---	---	---	---	---	---	---

WING  $\alpha = 18.56$

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	C	D	VI	H
0	-5.74	---	-1.88	-1.75	-1.87	-2.20	---	-3.49
0.25	-8.49	-5.15	-1.59	---	-.96	-1.53	---	-1.76
0.5	-1.37	-2.48	-1.10	---	-.41	-.68	---	---
1.0	-6.15	-5.08	---	---	-.98	-1.47	---	-1.48
1.5	-.47	-1.84	-.45	---	-.18	-.17	---	-.08
2.0	-5.28	---	-1.86	-1.87	-2.08	-1.56	---	-1.37
2.5	-.18	-.47	-.12	-.04	-.66	-.80	---	-.88
3.0	-2.78	-2.98	-1.45	---	-.91	---	---	-1.31
3.5	-.89	-.01	-.38	-.06	-.37	-.58	---	---
4.0	-2.30	-2.95	-1.39	-1.68	-.87	-1.19	---	-1.55
4.5	-.50	-.38	-.44	-.48	-.45	-.41	---	-.58
5.0	-1.83	-2.91	-1.37	-1.68	-.89	-.97	---	-1.28
5.5	-.84	-.45	-.49	---	-.47	-.48	---	-.84
6.0	-1.52	-2.90	-1.35	---	-.86	-.92	---	-1.81
6.5	---	-.51	-.61	---	-.48	-.46	---	---
7.0	-1.84	-2.89	-1.30	-1.48	-.88	-.87	---	-.94
7.5	-.49	-.52	-.50	-.50	-.41	-.38	---	-.58
8.0	-1.10	-2.80	-1.28	-1.46	-.85	-.92	---	-.84
10.0	---	-.47	-.48	---	-.58	---	---	---
15.0	---	-.95	-2.32	-1.28	-1.40	-.84	-.78	-.81
17.5	---	---	---	-1.37	-.81	-.78	---	-.89
20.0	---	-.68	-1.80	-1.28	-1.37	-.82	-.78	-0.64
30.0	---	-.37	-.42	-.37	-.88	-.88	-.19	-.17
40.0	---	-.74	-.98	-1.26	-1.24	-.85	-.71	-.58
50.0	---	-.51	-.36	-.34	-.36	-.30	-.14	-.10
60.0	---	-.70	-.81	-1.21	-1.15	-.83	-.87	-.88
70.0	---	-.85	-.84	-.82	-.81	-.84	-.07	-.08
80.0	---	-.88	-.86	-1.11	-1.06	-.84	-.84	-.47
90.0	---	-.84	-.86	-.81	-.88	-.08	-.01	-.05
95.0	---	-.82	-.82	-.82	-.88	-.06	-.01	-.07
98.0	---	-.82	-.82	-.82	-.88	-.06	-.01	-.08
99.0	---	---	---	---	---	---	---	---
100.0	---	---	---	---	---	---	---	---

FORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-2.04	-1.10	-1.81
1.0	---	-2.07	-2.46
2.0	-.49	-.49	-.56
3.0	-3.79	-1.99	-1.93
4.0	-.62	-.87	-.85
5.0	-8.93	-1.43	-1.37
6.0	-.88	---	-.49
7.0	-8.29	-1.88	-1.17
8.0	-.80	-.58	---
9.0	-1.58	-1.00	-1.15
10.0	-.58	-.53	-.58
11.0	-1.30	-.87	-1.17
12.0	-.13	-.46	-.19

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0	-0.25	0	-0.59
75.25	---	---	---
75.5	-.78	-.16	-.01
75.75	-.34	-.50	-.80
76.0	-.99	-.44	-1.17
76.25	-.88	-.47	-.45
76.5	-1.80	-.80	-1.34
77.5	-.89	-.54	-.85
80.0	-1.03	-.92	-.76
82.5	-.78	-.82	-.85
85.0	-.83	-.47	-.81
87.5	-.84	-.51	-.83
90.0	-.80	-.45	-.80
92.5	-.81	-.81	-.45
95.0	-.81	-.32	-.88
97.5	-.81	-.19	-.84
100.0	-.86	-.20	-.84

FORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-2.13	-1.02	-1.47
1.0	---	-1.23	-2.44
2.0	-.48	-.47	-.58
3.0	-3.71	-1.75	-2.04
4.0	-.88	-.55	-.85
5.0	-5.21	-1.19	-1.68
6.0	-.87	---	-.49
7.0	-8.88	-1.15	-1.38
8.0	-.49	-.52	---
9.0	-1.70	-.85	-1.83
10.0	-.86	-.46	-.84
11.0	-1.89	-.74	-1.81
12.0	-.12	-.40	-.18

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0	-0.24	0	-0.50
75.25	---	---	---
75.5	-.72	-.15	---
75.75	-.38	-.49	-.80
76.0	-.98	-.47	-1.20
76.25	-.86	-.45	-.48
76.5	-1.89	-.87	-1.36
77.5	-.86	-.80	-.84
80.0	-1.04	-1.03	-.76
82.5	-.85	-.48	-.83
85.0	-.84	-.51	---
87.5	-.85	-.43	-.81
90.0	-.85	-.84	-.88
92.5	-.89	-.39	-.48
95.0	-.84	-.50	-.40
97.5	-.81	-.38	-.38
99.0	-.83	-.38	-.37
100.0	-.88	-.14	-.33



TABLE V. - CONTINUED

WING  $\alpha = 15.56$ 

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	C	D	VI	E
0	-6.80	-5.34	-1.29	-5.97	-1.16	-1.98	---	-3.56
0.25	-7.83	-2.41	-1.29	-5.02	-.89	-1.58	---	-1.54
0.5	-8.02	-2.02	-.89	-1.90	-.38	-.83	---	---
0.5	-8.47	-2.36	---	-1.49	-.66	-1.26	---	-1.34
1.0	-.84	-1.24	-.38	---	-.08	-.12	---	-.04
1.0	-5.33	---	-1.24	-1.54	-.38	-1.31	---	-1.88
1.5	-.03	-.32	-.12	-.03	-.28	-.21	---	-.25
1.5	-5.09	-2.27	-1.19	---	-.22	---	---	-1.26
2.5	-.33	-.11	-.34	-.08	-.36	-.32	---	---
2.5	-2.42	-2.26	-1.15	-1.42	-.79	-1.07	---	-1.13
3.5	-2.02	-2.23	-1.14	-1.32	-.79	-.87	---	-1.22
5.0	-.57	-.46	-.80	-.46	-.45	-.40	---	-.23
5.0	-1.70	-2.21	-1.12	---	-.78	-.84	---	-1.19
7.5	-1.43	-2.23	-1.11	-1.26	-.78	-.80	---	-.86
10.0	-.52	-.51	-.49	-.50	-.42	-.41	---	-.34
10.0	-1.26	-2.28	-1.10	-1.22	-.77	-.83	---	-.84
15.0	-.82	-.36	-.47	-.48	-.36	-.38	---	-.14
15.0	-1.04	-2.23	-1.10	-1.19	-.77	-.74	---	-.87
17.5	---	---	---	-1.17	-.76	-.65	---	-.83
20.0	-.42	-1.91	-1.11	-1.16	-.76	-.65	-0.88	-.53
30.0	-.78	-1.15	-1.11	-1.08	-.77	-.61	-.88	-.58
40.0	-.85	-.37	-.34	-.35	-.19	-.13	-.10	-.08
40.0	-.73	-1.88	-1.09	-1.08	-.79	-.62	-.80	-.52
50.0	-.88	-.35	-.32	-.30	-.14	-.07	-.03	-.02
50.0	-.71	-1.85	-1.07	-.99	-.80	-.60	-.66	-.46
60.0	-.25	-.35	-.31	-.29	-.07	-.04	-.01	-.01
60.0	-.66	-.63	-1.02	-.93	-.80	-.64	-.41	-.46
70.0	-.24	-.37	-.32	-.27	-.04	-.02	-.07	-.08
70.0	-.64	-.94	-.94	-.90	-.77	-.59	-.38	-.42
75.0	-.98	-.38	-.32	-.41	-.04	-.02	-.08	-.06
75.0	---	---	---	---	-.75	---	-.37	-.43
80.0	-.73	-1.16	-.87	-.80	-.67	-.51	-.34	-.39
80.0	-.27	-.54	-.23	-.06	-.06	-.04	-.11	-.11
85.0	---	---	---	---	-.70	-.60	-.32	-.37
90.0	---	---	---	---	-.19	-.19	-.11	-.12
90.0	-.86	---	---	---	-.73	-.49	-.30	-.35
95.0	-.08	---	---	---	-.17	-.13	-.11	-.13
95.0	---	---	---	---	-.83	-.49	-.28	-.32
95.0	---	---	---	---	-.28	-.26	-.29	-.18

WING  $\alpha = 14.36$ 

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	C	D	VI	E
0	-7.94	-2.80	---	-1.90	-1.07	-1.32	---	-1.81
0.25	-8.37	-1.93	-1.15	-1.54	-.83	-.87	---	-1.28
0.5	-8.21	-1.66	-.84	-1.11	-.38	-.35	---	---
0.5	-8.19	-1.66	-1.17	---	-.60	-.96	---	-1.07
1.0	-1.05	-1.00	-.30	---	-.10	-.02	---	-.05
1.0	-5.00	---	-1.11	-1.19	-.88	-1.02	---	-1.06
1.5	-.08	-.20	---	---	-.22	-.27	---	-.10
1.5	-5.28	-1.77	-1.07	---	-.77	-1.06	---	-.82
2.5	-.26	-.14	-.34	-.10	-.36	-.34	---	---
2.5	-2.27	-1.76	-1.06	-1.25	-.74	-.86	---	-1.06
3.5	-2.14	-1.74	-1.04	-1.17	-.75	-.78	---	-.88
5.0	-.54	-.45	-.80	-.42	-.45	-.43	---	-.25
5.0	-1.28	-1.72	-1.03	---	-.73	-.66	---	-1.09
7.5	-1.57	-1.70	-1.03	-1.11	-.73	-.75	---	-.73
10.0	-.58	-.52	-.60	-.59	-.39	-.36	---	-.24
10.0	-1.37	-1.69	-1.02	-1.09	-.73	-.76	---	-.86
15.0	-.84	-.47	-.48	-.47	-.37	-.37	---	-.23
15.0	-1.13	-1.74	-1.04	-1.07	-.72	-.73	---	-.80
17.5	---	---	---	-1.05	-.68	-.69	---	-.49
20.0	---	-1.77	-1.04	-1.04	-.67	-.68	-0.51	-.50
30.0	-.45	-.45	-.39	-.38	-.26	-.23	-.19	-.18
30.0	-.82	-1.61	-1.03	-1.02	-.69	-.65	-.49	-.48
40.0	-.37	-.37	-.33	-.34	-.17	-.14	-.10	-.05
40.0	-.78	-1.20	-1.04	-.99	-.70	-.64	-.49	-.47
50.0	-.50	-.35	-.31	-.30	-.15	-.07	-.02	-.01
50.0	-.76	-.90	-1.02	-.96	-.78	-.64	-.44	-.46
60.0	-.27	-.36	-.36	-.38	-.06	-.01	-.04	-.03
60.0	-.69	-.80	-1.00	-.93	-.72	-.61	-.42	-.48
70.0	-.27	-.37	-.30	-.27	-.04	-.02	-.06	-.06
70.0	-.27	-.23	-.24	-.21	-.73	-.63	-.39	-.42
75.0	-.29	-.28	-.32	-.41	-.05	-.07	-.09	-.08
75.0	---	---	---	---	-.75	---	-.36	-.43
80.0	-.74	-1.15	-.83	-.83	-.66	-.61	-.36	-.40
80.0	-.26	-.54	-.26	-.06	-.07	-.13	-.14	-.14
85.0	---	---	---	---	-.72	-.61	-.34	-.34
90.0	---	---	---	---	-.12	-.21	-.12	-.12
90.0	-.89	---	---	---	-.76	-.62	-.32	-.38
95.0	---	---	---	---	-.18	-.23	-.13	-.15
95.0	---	---	---	---	-.23	-.25	-.30	-.35
95.0	---	---	---	---	-.50	-.29	---	-.19

FORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-2.04	-1.04	-1.50
1.0	---	-1.86	-1.90
1.0	-.48	-.47	-.56
2.0	-3.76	-1.77	-1.87
3.0	-.83	-.84	-.84
3.0	-5.19	-1.26	-1.38
4.0	-.57	---	-.45
4.0	-2.31	-1.18	-1.17
5.0	-.49	-.52	---
5.0	-1.72	-.99	-1.04
6.0	-.37	-.46	-.35
6.0	-1.20	-.78	-.94
7.0	-.11	-.40	-.25

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0	-0.25	0	-0.48
75.25	---	0.01	---
75.5	---	---	-.06
75.5	-.74	-.22	---
76.0	-.32	-.28	-.15
76.0	-1.01	-.82	-.91
77.5	-.57	-.45	-.46
77.5	-1.66	-.95	-1.14
80.0	-.68	-.61	-.54
80.0	-1.10	-1.06	-.79
82.5	-.68	-.48	-.28
82.5	-.78	-.78	-.49
85.0	-.63	-.43	-.49
86.0	-.69	-.65	-.62
90.0	-.58	-.39	-.49
90.0	-.36	-.21	-.46
95.0	-.50	-.26	-.36
95.0	-.25	-.41	-.54
95.0	-.35	-.13	-.30

FORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-2.06	-1.10	-1.50
1.0	---	-1.95	-1.87
1.0	-.49	-.47	-.59
2.0	-5.79	-1.96	-1.82
3.0	-.84	-.82	-.84
3.0	-5.24	-1.33	-1.33
4.0	-.57	---	-.46
4.0	-2.21	-1.24	-1.17
5.0	-.50	-.50	---
5.0	-1.73	-1.04	-1.04
6.0	-.37	-.48	-.34
6.0	-1.28	-.80	-.94
7.0	-.15	-.39	-.22

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0	-0.26	-0.02	-0.50
75.25	---	-.02	---
75.5	---	---	-.06
75.5	-.72	-.24	---
76.0	-.32	-.29	-.15
76.0	-1.00	-.84	-.96
77.5	-.66	-.43	---
77.5	-1.68	-.96	-1.23
80.0	-.66	-.50	-.54
80.0	-1.11	-1.09	-.80
82.5	-.68	-.48	-.28
82.5	-.80	-.80	-.49
85.0	-.69	-.48	-.49
86.0	-.69	-.66	-.78
90.0	-.58	-.38	-.47
90.0	-.37	-.26	-.44
95.0	-.51	-.25	-.35
95.0	-.22	-.47	-.58
95.0	-.37	-.12	-.27

NACA

TABLE V. - CONTINUED

WING  $\alpha = 15.33$

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	G	D	VI	E
0	-8.94	-8.85	---	-1.50	-0.98	-1.05	---	-1.19
0.25 U	-10.05	-1.55	-1.06	-1.19	-.76	-.78	---	-.84
0.5 U	-6.87	-.85	-.78	-.99	-.54	-.58	---	-.67
0.5 L	-4.45	-1.59	-1.06	---	-.74	-.79	---	-.87
1.0 U	-1.45	-.17	-1.27	---	-.08	-.04	---	-.09
1.0 L	-4.80	---	-1.02	-1.03	-.79	-.84	---	-.90
1.5 U	-.26	-.14	-.18	-.01	-.30	-.30	---	-.30
1.5 L	-3.46	-1.52	-.98	---	-.70	-.89	---	-.95
2.5 U	-.19	-.17	-.34	.10	-.38	-.37	---	---
2.5 L	-8.78	-1.51	-.95	-1.10	-.87	-.78	---	-.83
3.5 U	-.46	-.37	-.47	-.43	-.45	-.44	---	-.39
3.5 L	-8.41	-1.49	-.95	-1.04	-.88	-.84	---	-1.00
5.0 U	-.58	-.46	-.51	---	-.47	-.43	---	-.46
5.0 L	-8.22	-1.46	-.94	-1.01	-.87	-.85	---	-.99
7.5 U	-1.88	-1.43	-.93	-.99	-.87	-.86	---	-.88
7.5 L	-.58	-.68	-.60	-.48	-.48	-.40	---	-.58
10.0 U	-1.49	-1.43	-.93	-.98	-.85	-.87	---	-.82
10.0 L	-.46	-.47	-.48	-.40	---	---	---	-.45
15.0 U	-1.39	-1.45	-.94	-.98	-.86	-.85	---	-.85
15.0 L	---	---	---	-.94	-.84	-.82	---	-.85
17.5 U	---	-1.39	-.98	---	-.84	-.81	---	-.85
17.5 L	-.48	-.43	-.40	-.37	-.52	-.49	---	-.48
20.0 U	-.91	-1.44	-.94	-1.18	-.84	-.82	---	-.87
20.0 L	-.40	-.27	-.34	-.34	-.40	-.44	---	-.48
40.0 U	-.82	-1.26	-.94	-1.09	-.88	-.80	---	-.80
40.0 L	-.32	-.35	-.31	-.30	-.25	-.06	---	-.03
50.0 U	-.78	-1.17	-.93	-1.09	-.88	-.80	---	-.81
50.0 L	-.29	-.26	-.30	-.28	0	0	---	-.03
60.0 U	-.71	-.93	-.98	-1.07	-.70	-.56	---	-.42
60.0 L	-.27	-.35	-.30	-.27	-.08	-.03	---	-.05
70.0 U	-.68	-.80	-.87	-.88	-.71	-.61	---	-.60
70.0 L	-.29	-.39	-.31	-.31	-.06	-.06	---	-.06
75.0 U	---	---	---	---	-.71	---	---	-.41
75.0 L	-.78	-1.01	-.90	-.83	-.67	-.48	---	-.41
80.0 U	-.28	-.34	-.28	-.08	-.08	-.14	---	-.14
85.0 U	---	---	---	---	-.70	-.48	---	-.38
85.0 L	---	---	---	---	-.14	-.22	---	-.14
90.0 U	-.89	---	---	---	-.74	-.51	---	-.58
90.0 L	-.09	---	---	---	-.22	-.23	---	-.17
95.0 U	---	---	---	---	-.82	-.54	---	-.56
95.0 L	---	---	---	---	-.39	-.30	---	-.20

WING  $\alpha = 16.50$

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	G	D	VI	E
0	-9.94	-9.10	---	-1.54	-0.94	-0.91	---	-0.91
0.25 U	-10.74	-1.58	-1.00	-1.18	-.74	-.87	---	-.78
0.5 U	-6.84	-1.41	-.77	-1.16	-.55	-.51	---	-.66
0.5 L	-6.87	-1.49	-1.01	---	-.73	-.88	---	-.86
1.0 U	-1.63	-.84	-.88	-1.00	-.00	-.07	---	-.14
1.0 L	-6.40	---	-.97	-1.03	-.75	-.73	---	-.78
1.5 U	-.35	-.23	-.17	-.03	-.29	-.29	---	-.28
1.5 L	-3.52	-1.43	-.84	---	-.89	-.89	---	-.97
2.5 U	-.11	-.18	-.34	.08	-.56	-.59	---	---
2.5 L	-8.84	-1.42	-.99	-1.06	-.66	-.69	---	-.77
3.5 U	-.42	-.36	-.47	-.48	-.44	-.46	---	-.40
3.5 L	-8.59	-1.36	-.92	-1.01	-.87	-.89	---	-.93
5.0 U	-.55	-.48	-.50	---	-.46	-.45	---	-.46
5.0 L	-8.42	-1.35	-.91	---	-.65	-.62	---	-.84
7.5 U	-2.00	-1.32	-.91	-.96	-.87	-.89	---	-.84
7.5 L	-.64	-.61	-.49	-.61	-.49	-.39	---	-.35
10.0 U	-1.87	-1.38	-.90	-.95	-.88	-.81	---	-.81
10.0 L	-.45	-.45	-.45	-.58	-.58	---	---	-.54
15.0 U	-1.25	-1.38	-.90	-.94	-.84	-.80	---	-.82
15.0 L	---	---	---	-.92	-.83	-.80	---	-.86
17.5 U	---	-1.29	-.90	-.92	-.84	-.84	---	-.89
17.5 L	-.58	-.44	-.40	-.38	-.29	-.25	---	-.19
20.0 U	-.94	-1.34	-.90	-.90	-.84	-.88	---	-.88
20.0 L	-.44	-.36	-.34	-.35	-.18	-.13	---	-.06
40.0 U	-.85	-1.33	-.91	-.89	-.86	-.84	---	-.88
40.0 L	-.35	-.35	-.31	-.30	-.23	-.06	---	-.01
50.0 U	-.80	-1.28	-.91	-.88	-.80	-.80	---	-.88
50.0 L	-.38	-.36	-.29	-.28	-.06	-.03	---	-.05
60.0 U	-.78	-1.07	-.90	-.87	-.70	-.64	---	-.65
60.0 L	-.30	-.37	-.30	-.28	-.02	-.08	---	-.04
70.0 U	-.70	-.99	-.86	-.77	-.72	-.68	---	-.68
70.0 L	-.30	-.39	-.30	-.30	-.06	-.06	---	-.06
75.0 U	---	---	---	---	-.78	---	---	-.54
75.0 L	-.78	-.66	-.89	-.82	-.68	-.48	---	-.55
80.0 U	-.29	-.34	-.26	-.04	-.09	-.06	---	-.14
85.0 U	---	---	---	---	-.70	-.49	---	-.38
85.0 L	---	---	---	---	-.14	-.23	---	-.15
90.0 U	-.90	---	---	---	-.78	-.52	---	-.51
90.0 L	-.09	---	---	---	-.21	-.24	---	-.14
95.0 U	---	---	---	---	-.85	-.65	---	-.68
95.0 L	---	---	---	---	-.35	-.31	---	-.20

FORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-1.97	-1.12	-1.27
1.0 U	-.49	-1.96	-1.82
1.0 L	-5.85	-1.97	-1.81
2.0 U	-.62	-.55	-.61
2.0 L	-8.28	-1.54	-1.54
3.0 U	-.55	-.47	-.44
3.0 L	-2.40	-1.25	-1.19
4.0 U	-.48	-.61	---
5.0 U	-1.79	-1.04	-1.08
5.0 L	-.36	-.47	-.38
6.0 U	-1.27	-.88	-.89
6.0 L	-.11	-.38	-.19

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0	-0.25	0.02	0.59
75.25 U	---	0	---
75.5 U	-.76	-.82	-.03
75.5 L	-.54	-.89	-.22
76.0 U	-1.03	-.66	-.99
76.0 L	-.88	-.65	-.44
77.5 U	-1.70	-.99	-1.31
77.5 L	-.69	-.49	-.53
80.0 U	-1.14	-1.12	-1.03
80.0 L	-.65	-.47	-.49
82.5 U	-.82	-.84	---
82.5 L	-.61	-.42	-.46
85.0 U	-.68	-.79	-.91
85.0 L	-.58	-.56	-.44
90.0 U	-.88	-.88	-.79
90.0 L	-.50	-.55	-.29
95.0 U	-.67	-.53	-.69
95.0 L	-.36	-.09	-.22

FORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-1.83	-1.18	-1.22
1.0 U	-3.78	-1.97	-1.86
1.0 L	-.50	-.40	-.58
2.0 U	-5.31	-1.69	-.85
2.0 L	-.62	-.47	-.61
3.0 U	-5.18	-1.33	-1.36
3.0 L	-.55	---	-.44
4.0 U	-2.33	-1.23	-1.28
4.0 L	-.49	-.51	---
5.0 U	-1.77	-1.03	-1.11
5.0 L	-.37	-.48	-.52
6.0 U	-1.30	-.82	-1.08
6.0 L	-.12	-.40	-.19

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0	-0.25	0.01	-0.55
75.25 U	---	0.01	---
75.5 U	---	0	---
75.5 L	-.72	-.85	-.29
76.0 U	-.89	-.58	-1.02
76.0 L	-.86	---	-.48
77.5 U	-1.69	-.99	-1.26
77.5 L	-.68	-.60	-.62
80.0 U	-1.17	-1.11	-1.09
80.0 L	-.64	-.48	-.45
82.5 U	-.86	-.88	---
82.5 L	-.64	-.72	-.46
85.0 U	-.64	-.78	-.98
85.0 L	-.57	-.36	-.43
90.0 U	-.61	-.63	-.85
90.0 L	-.30	-.24	-.28
95.0 U	-.89	-.65	-.69
95.0 L	-.36	-.09	-.20



TABLE V. - CONCLUDED

WING  $\alpha = 17.30$

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	O	D	VI	E
0	-10.68	-2.05	-0.99	-1.61	-0.87	-0.77	---	-0.69
0.25 U	-11.27	-1.61	---	-1.18	-.71	-.66	---	-.65
L	---	-1.45	-.85	-1.06	-.38	-.18	---	---
0.5 U	-7.88	-1.44	-1.00	---	-.69	-.69	---	-.51
L	-1.97	-.58	.14	---	-.11	.08	---	-.18
1.0 U	-4.74	---	-.98	-1.05	-.72	-.61	---	-.53
L	-.83	-.17	.14	-.03	-.25	-.32	---	-.35
1.5 U	-3.58	-1.39	-.92	---	-.66	-.64	---	-.56
L	.01	.16	.38	.07	-.38	-.38	---	-.28
2.5 U	-3.16	-1.35	-.95	-1.09	-.65	-.61	---	-.56
L	.37	.38	.48	.41	-.44	-.45	---	-.40
3.5 U	-3.01	-1.32	-.92	-1.00	-.64	-.58	---	-.59
L	.85	.45	.50	---	-.47	-.43	---	-.38
5.0 U	-2.86	-1.29	-.92	---	-.65	-.49	---	-.62
L	.61	---	.51	---	-.49	-.49	---	---
7.5 U	-2.89	-1.28	-.91	-.98	-.63	-.52	---	-.56
L	.54	.53	.50	-.81	-.41	-.40	---	-.34
10.0 U	-1.79	-1.26	-.91	-.98	-.65	-.48	---	-.48
L	.61	---	.49	.50	.50	---	---	-.41
15.0 U	-1.56	-1.26	-.91	-.92	-.63	-.48	---	-.41
L	---	---	---	---	---	---	---	---
20.0 U	---	-1.26	-.91	---	-.62	-.49	-0.59	-.37
L	.61	.44	.41	.40	.24	.24	.19	---
30.0 U	-.96	-1.29	-.92	-.92	-.63	-.49	-.35	-.36
L	.45	.45	.54	.36	.18	.18	.07	---
40.0 U	---	-1.31	-.92	-.90	-.65	-.50	-.15	-.37
L	---	---	---	---	---	---	---	---
50.0 U	-.35	-.36	-.38	-.32	.07	.08	-.01	-.04
L	-.82	-1.24	-.92	-.88	-.67	-.67	-.37	-.39
60.0 U	-.74	-1.12	-.92	-.87	-.70	-.63	-.36	-.41
L	-.29	-.37	-.30	-.28	.04	.05	-.09	-.04
70.0 U	-.71	-1.07	-.97	-.78	-.72	-.62	-.35	-.40
L	.50	.58	.51	---	-.09	-.07	-.11	-.07
75.0 U	---	---	---	---	-.72	---	-.35	-.41
L	-.78	-.76	-.92	-.85	-.65	-.49	-.33	-.39
80.0 U	-.59	-.54	---	.04	-.06	-.09	-.14	-.14
L	---	---	---	---	-.29	-.32	-.32	-.30
85.0 U	---	---	---	---	-.16	-.24	-.14	-.15
L	---	---	---	---	-.72	-.53	-.31	-.38
90.0 U	-.93	---	---	---	-.82	-.66	-.16	-.19
L	-.11	---	---	---	-.85	-.56	-.30	-.35
95.0 U	---	---	---	---	-.34	-.32	-.29	-.20
L	---	---	---	---	---	---	---	---

WING  $\alpha = 18.30$

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	O	D	VI	E
0	-11.67	-1.94	---	-1.49	-0.83	-0.64	---	-0.68
0.25 U	-12.34	-1.44	-.96	---	-1.12	---	---	-.42
L	---	-1.42	---	-1.07	---	-.39	-.18	---
0.5 U	-7.54	-1.36	-.86	---	---	-.66	-.49	---
L	-2.19	-.67	-.65	---	---	-.12	.10	---
1.0 U	-4.78	---	-.92	-1.00	---	-.68	-.50	---
L	-.52	-.16	.54	-.02	---	-.26	-.34	---
1.5 U	-3.78	-1.32	-.90	---	---	-.63	-.61	---
L	.37	.15	.15	-.07	---	-.54	.61	---
2.5 U	-3.47	-1.28	-.90	-1.07	---	-.69	.61	---
L	.39	.38	.48	.39	---	-.44	.47	---
3.5 U	-3.40	-1.25	-.90	---	---	-.60	-.49	---
L	.37	.47	.48	---	---	-.48	.47	---
5.0 U	-3.26	-1.22	-.90	---	---	-.60	-.48	---
L	.52	---	.40	---	---	-.49	.50	---
7.5 U	-3.28	-1.22	-.89	-.95	---	-.59	-.47	---
L	.47	.53	.55	.45	---	-.45	.49	---
10.0 U	-1.90	-1.20	-.89	---	---	-.60	-.44	---
L	.66	---	.48	---	---	-.42	---	---
15.0 U	-1.45	-1.20	-.89	---	---	-.62	-.44	---
L	---	---	---	---	---	---	---	---
20.0 U	---	-1.18	-.90	---	---	-.60	-.48	-0.57
L	.54	.45	.45	---	---	-.38	.17	-.19
30.0 U	-1.04	-1.22	-.90	-.90	---	-.62	-.46	-.36
L	.46	.40	.55	.38	---	-.21	.08	-.12
40.0 U	---	-1.25	-.91	-.90	---	-.64	-.47	-.36
L	.37	.37	.38	.33	---	-.14	.01	0
50.0 U	-.86	-1.21	-.92	-.88	---	-.64	-.49	-.36
L	.35	.37	.50	.50	---	-.08	-.03	-.02
60.0 U	-.78	-1.15	-.92	-.86	---	-.67	-.48	-.35
L	-.30	-.38	-.50	-.29	---	-.03	-.08	-.07
70.0 U	-.74	-1.12	-.92	-.76	---	-.70	-.50	-.34
L	.51	.49	.51	---	---	-.08	.04	-.10
75.0 U	---	---	---	---	---	-.72	---	-.38
L	-.80	-1.10	-.94	-.83	---	-.65	-.48	-.35
80.0 U	-.30	-.36	-.96	---	---	-.10	-.10	-.14
L	---	---	---	---	---	-.88	-.51	-.32
85.0 U	---	---	---	---	---	-.15	-.24	-.14
L	---	---	---	---	---	-.71	-.52	-.32
90.0 U	-.97	---	---	---	---	-.82	-.52	-.37
L	-.12	---	---	---	---	-.82	-.26	-.18
95.0 U	---	---	---	---	---	---	-.56	-.31
L	---	---	---	---	---	-.35	-.52	0

FORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	E
0	-1.68	-1.11	-1.38
1.0 U	-3.39	-1.98	-1.91
L	.61	.46	.68
2.0 U	-3.16	-1.86	-1.87
L	.52	.52	.51
3.0 U	-2.85	-1.85	-1.81
L	.67	---	.45
4.0 U	-2.20	-1.22	-1.26
L	.60	.50	---
5.0 U	-1.73	-1.04	-1.15
L	.38	.47	.30
6.0 U	-1.27	-.82	-1.07
L	.14	.39	.17

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	E
75.0 U	-0.19	-0.08	-0.58
75.25 U	---	0	---
L	---	---	.08
75.5 U	-.47	-.25	---
L	-.54	.98	.21
75.0 U	-.94	-.56	-1.06
L	.67	.45	.43
77.5 U	-1.71	-.89	-1.41
L	.66	.49	.52
80.0 U	-1.66	-1.13	-1.15
L	.65	.47	.48
82.5 U	-.94	-.55	---
L	.61	.41	.43
85.0 U	-.73	-.78	-1.04
L	.67	.37	.43
90.0 U	-.45	-.56	-.90
L	.49	.22	.26
95.0 U	-.32	-.56	-.73
L	.35	.08	.20

FORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	E
0	-1.52	-1.08	-1.31
1.0 U	-2.94	-1.88	-1.90
L	.64	.49	.69
2.0 U	-2.62	-1.78	-1.86
L	.64	.54	.52
3.0 U	-2.37	-1.28	-1.40
L	.66	---	.47
4.0 U	-1.92	-1.17	-1.26
L	.62	.52	---
5.0 U	-1.48	-.99	-1.15
L	.40	.65	.32
6.0 U	-1.24	-.79	-1.05
L	.18	.60	.18

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	E
75.0 U	-0.12	0	-0.53
75.25 U	---	0	---
L	---	---	.05
75.5 U	-.58	-.22	---
L	-.58	.31	.22
76.0 U	-.86	-.54	-1.04
L	.60	.47	.46
77.5 U	-1.64	-.98	-1.43
L	.62	.52	.54
80.0 U	-1.59	-1.11	-1.05
L	.64	.49	.49
82.5 U	-1.06	-.63	---
L	.62	.43	.42
85.0 U	-.87	-.75	-1.06
L	.68	.38	.44
90.0 U	-.55	-.67	-.92
L	.60	.24	.22
95.0 U	-.35	-.58	-.76
L	.36	.10	.20





TABLE VI. - CONTINUED

SLAT  $\alpha = 4.15$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	0.37	0.56	0.38	0.40	0.40
0.25	.44	.44	.38	.44	.48
0.5	.44	.44	.38	.44	.48
1.0	.44	.44	.38	.44	.48
1.5	.44	.44	.38	.44	.48
2.5	.44	.44	.38	.44	.48
3.5	.44	.44	.38	.44	.48
5.0	.44	.44	.38	.44	.48
7.5	.44	.44	.38	.44	.48
10.0	.44	.44	.38	.44	.48
15.0	.44	.44	.38	.44	.48
17.5	.44	.44	.38	.44	.48

SLAT  $\alpha = 6.19$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	0.44	0.46	0.59	0.58	0.47
0.25	.44	.46	.59	.58	.47
0.5	.44	.46	.59	.58	.47
1.0	.44	.46	.59	.58	.47
1.5	.44	.46	.59	.58	.47
2.5	.44	.46	.59	.58	.47
3.5	.44	.46	.59	.58	.47
5.0	.44	.46	.59	.58	.47
7.5	.44	.46	.59	.58	.47
10.0	.44	.46	.59	.58	.47
15.0	.44	.46	.59	.58	.47
17.5	.44	.46	.59	.58	.47

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-0.03	-0.28						
0.25	.46	-1.23						
0.5	.44	-1.19						
1.0	.44	-1.01						
1.5	.44	-0.85						
2.5	.44	-0.66						
3.5	.44	-0.54						
5.0	.44	-0.52	-0.65	-0.66	-0.67	-0.46		-0.58
6.0	.44	.16	.28	.44	.44	.51	.32	.38
7.5	.44	.39	.49	.48	.37	.33	.34	.37
10.0	.44	.07	.14	.44	.39	.44	.12	.40
12.5	.44	.38	.44	.29	.41	.36	.38	.39
15.0	.44	.08	.34	.33	.34	.36	.41	.38
17.5	.44	.34	.32	.40	.72	.77	.66	.62
20.0	.44	.52	.33	.31	.50	.43	.43	.44
30.0	.44	.29	.04	.10	.11	.08	.10	.07
40.0	.44	.05	.10	.08	.03	.0	.02	.06
50.0	.44	.30	.30	.32	.29	.25	.25	.25
60.0	.44	.11	.10	.06	.08	.08	.08	.08
70.0	.44	.31	.28	.24	.21	.23	.23	.21
80.0	.44	.08	.09	.08	.08	.08	.08	.08
90.0	.44	.08	.08	.08	.08	.08	.08	.08
95.0	.44	.08	.08	.08	.08	.08	.08	.08
98.0	.44	.08	.08	.08	.08	.08	.08	.08

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-0.72	-1.41						
0.25	-1.52	-2.22						
0.5	-1.55	-2.27						
1.0	-1.42	-2.20						
1.5	-1.21	-1.94						
2.5	-1.03	-1.65						
3.5	-0.85	-1.30						
5.0	-0.65	-0.90	-0.80	-0.97	-0.80	-0.60		-0.55
6.0	.44	.11	.43	.42	.50	.50	.54	.54
7.5	.44	.04	.59	.42	.50	.40	.44	.43
10.0	.44	.15	.11	.38	.45	.47	.48	.43
12.5	.44	.50	.55	.49	.56	.52	.50	.55
15.0	.44	.18	.36	.33	.36	.36	.36	.36
17.5	.44	.47	.64	.54	.54	.53	.53	.47
20.0	.44	.45	.52	.51	.47	.51	.51	.46
30.0	.44	.44	.42	.53	.59	1.04	.69	1.25
40.0	.44	.42	.41	.61	.68	.52	.55	.54
50.0	.44	.07	.04	.15	.16	.15	.15	.12
60.0	.44	.39	.38	.46	.45	.36	.39	.36
70.0	.44	.02	.0	.03	.04	.05	.06	.06
80.0	.44	.37	.34	.38	.35	.32	.32	.31
90.0	.44	.05	.03	.06	.06	.06	.06	.06
95.0	.44	.37	.29	.29	.30	.26	.24	.24
98.0	.44	.03	.03	.05	.01	.03	.03	.06
99.0	.44	.22	.25	.23	.18	.16	.14	.18
99.5	.44	.11	.08	.05	.08	.01	.01	.04
99.8	.44	.07	.04	.04	.01	.0	.0	.02
99.9	.44	.07	.04	.04	.01	.0	.0	.02
99.95	.44	.07	.04	.04	.01	.0	.0	.02
99.98	.44	.07	.04	.04	.01	.0	.0	.02
99.99	.44	.07	.04	.04	.01	.0	.0	.02

TABLE VI. - CONTINUED

SLAT  $\alpha = 8.84$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	0.17	0.15	-0.14	0	0.28
0.25 U	-.45	-.50	-.79	-.85	-.59
L	-.44	-.45	-.45	-.45	---
0.5 U	-.50	-.54	-.67	-.68	-.65
L	-.53	-.42	-.45	-.44	-.42
1.0 U	-.70	-.66	-.69	-.76	-.63
L	---	.28	-.79	-.38	-.34
1.5 U	-.69	---	.58	-.69	-.56
L	-.05	-.85	-.35	-.25	---
2.5 U	---	-.97	-.65	-.59	-.52
L	-.16	-.16	-.20	-.23	-.18
5.5 U	-.56	-.55	-.59	-.55	-.40
L	-.09	-.09	-.12	-.15	-.09
5.0 U	-.43	-.31	-.54	-.52	-.43
L	-.17	-.08	-.09	-.10	-.08
7.5 U	-.51	-.48	-.49	-.49	-.39
L	-.17	-.10	-.13	-.05	---
10.0 U	-.49	-.49	-.51	-.47	-.42
L	-.28	-.18	-.20	-.06	0
15.0 U	-.58	-.41	-.51	-.53	-.45
L	---	-.18	-.08	-.05	-.10
17.5 U	-.55	---	---	---	---
L	-.55	---	---	---	---

SLAT  $\alpha = 10.26$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	-0.50	-0.80	-1.11	-0.99	-0.50
0.25 U	-1.25	-1.29	-1.65	-1.76	-1.58
L	-.34	-.35	-.35	-.30	---
0.5 U	-1.43	-1.40	-1.75	-1.77	-1.67
L	-.45	-.48	-.51	-.45	-.45
1.0 U	-1.37	-1.37	-1.68	-1.60	-1.54
L	---	.46	-.46	-.45	-.43
1.5 U	-1.29	---	-1.50	-1.38	-1.08
L	-.15	-.40	-.40	-.36	---
2.5 U	-1.23	-.36	-.37	-.39	-.34
L	-.38	-.51	-.53	-.54	-.37
3.5 U	-.59	-.53	-.57	-.51	-.51
L	-.28	-.23	-.25	-.25	-.18
5.0 U	-.78	-.77	-.77	---	-.70
L	-.06	-.05	-.05	-.12	-.08
7.5 U	-.78	-.67	-.69	-.79	-.61
L	-.04	-.02	0	-.15	---
10.0 U	-.58	-.56	-.56	-.70	-.63
L	-.06	-.06	-.04	-.15	-.04
15.0 U	-.66	-.55	-.64	-.73	-.61
L	---	-.24	-.02	-.06	-.14
17.5 U	-.64	---	---	---	---
L	-.41	---	---	---	---

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-1.52	-2.98	---	---	---	---	---	---
0.25 U	-2.40	-4.14	---	---	---	---	---	---
L	-.11	---	---	---	---	---	---	---
0.5 U	-2.14	-3.27	---	---	---	---	---	---
L	-.36	-.15	---	---	---	---	---	---
1.0 U	-1.55	-2.69	---	---	---	---	---	---
L	-.49	-.17	---	---	---	---	---	---
1.5 U	-1.38	-1.55	---	---	---	---	---	---
L	-.49	-.58	---	---	---	---	---	---
2.5 U	-1.16	-1.49	---	---	---	---	---	---
L	-.45	-.58	---	---	---	---	---	---
3.5 U	-1.00	-1.17	---	---	---	---	---	---
L	-.41	-.68	---	---	---	---	---	---
5.0 U	-.84	-1.05	-1.14	-1.05	-0.83	-0.68	---	-0.54
L	---	---	---	---	---	---	---	---
6.0 U	---	-.75	-.55	-.52	-.40	---	---	-.56
L	-.59	-.52	-.42	-.52	-.51	-.54	---	-.51
7.5 U	-.59	-.84	---	-.75	-.57	-.60	---	-.73
L	-.28	-.08	-.47	-.47	-.49	---	---	-.44
10.0 U	-.63	-.75	-.68	-.74	-.71	-.66	---	-.70
L	-.28	---	-.37	-.37	-.38	---	---	-.18
12.5 U	---	---	-.72	-.70	-.69	-.69	---	-.68
L	---	---	---	---	---	---	---	---
15.0 U	---	-.63	---	-.60	-.59	-.54	---	-.56
L	-.26	-.10	---	---	---	---	---	---
17.5 U	-.53	-.53	-.64	-1.18	-1.38	-1.23	---	-1.55
L	---	---	---	---	---	---	---	---
20.0 U	-.50	-.52	-.79	-.71	-.64	-.64	-.78	-.63
L	-.15	-.14	---	-.21	-.20	-.19	-.21	-.17
30.0 U	-.45	-.45	-.53	-.50	-.47	-.50	-.48	-.41
L	-.09	-.08	-.08	-.07	-.10	-.09	-.12	-.08
40.0 U	-.42	-.40	-.42	-.38	-.37	-.38	-.34	-.34
L	-.02	-.02	-.02	-.04	-.06	-.04	0	0
50.0 U	-.40	-.35	-.32	-.31	-.29	-.30	-.23	-.27
L	---	-.01	0	-.01	-.03	0	-.01	-.02
60.0 U	-.35	-.26	-.25	-.20	-.15	-.16	-.14	-.22
L	-.04	-.02	-.02	-.01	-.04	-.02	0	0
70.0 U	-.37	-.22	-.13	-.20	-.14	-.10	-.07	-.10
L	-.03	0	-.04	-.05	-.01	-.04	-.01	-.02
75.0 U	---	---	---	---	-.12	---	-.06	-.08
L	---	---	---	---	---	---	0	---
78.0 U	---	---	---	---	---	---	---	---
L	---	---	---	---	---	---	---	---
80.0 U	-.20	-.06	-.07	-.07	-.04	-.04	-.02	-.02
L	-.05	-.03	-.07	-.07	-.07	-.07	-.02	-.01
85.0 U	---	-.08	0	-.01	-.01	0	0	0
L	---	-.01	0	-.01	-.01	-.01	0	0
90.0 U	-.14	-.05	0	-.01	-.01	-.02	-.02	-.02
L	-.04	-.01	-.07	-.08	-.04	-.05	-.05	-.05
95.0 U	---	-.03	-.04	-.04	-.06	-.01	-.06	-.05
L	0	-.07	-.06	-.07	-.08	-.06	-.06	-.07

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-2.68	-5.90	---	---	---	---	---	---
0.25 U	-3.60	-6.07	---	---	---	---	---	---
L	-.31	-.90	---	---	---	---	---	---
0.5 U	-3.10	-4.47	---	---	---	---	---	---
L	-.17	-.15	---	---	---	---	---	---
1.0 U	-2.15	-5.52	---	---	---	---	---	---
L	-.45	-.32	---	---	---	---	---	---
1.5 U	-1.84	-2.46	---	---	---	---	---	---
L	-.51	-.51	---	---	---	---	---	---
2.5 U	-1.70	-1.96	---	---	---	---	---	---
L	-.17	-.60	---	---	---	---	---	---
3.5 U	-1.58	-1.72	---	---	---	---	---	---
L	-.60	-.61	---	---	---	---	---	---
5.0 U	-1.06	-1.25	-1.32	-0.91	-0.50	-0.59	---	-0.70
L	---	---	---	---	---	---	---	---
6.0 U	---	-.51	-.56	-.56	-.56	-.47	---	-.78
L	-.45	-.67	-.58	-.53	-.49	-.55	---	-.48
7.5 U	-.62	-1.05	-.74	-.94	-.80	-.75	---	-.89
L	-.56	-.07	-.43	-.49	-.46	-.48	---	-.44
10.0 U	-.78	-.91	-.84	-.83	-.91	-.79	---	-.84
L	-.34	---	-.71	-.65	-.68	-.68	---	-.71
12.5 U	---	-.75	-.74	-.73	-.72	-.74	---	---
L	---	-.09	---	---	---	---	---	---
15.0 U	-.68	-.66	---	---	---	---	---	-.66
L	---	---	---	---	---	---	---	---
17.5 U	-.62	-.66	---	---	---	---	---	-1.28
L	---	---	---	---	---	---	---	---
20.0 U	-.59	-.63	-.63	-.62	-.78	-.74	---	-.78
L	-.21	-.20	-.25	-.25	-.23	-.22	---	-.22
30.0 U	-.55	-.53	-.65	-.58	-.54	-.66	-.50	-.49
L	-.15	-.11	-.15	-.14	-.15	-.14	-.08	-.14
40.0 U	-.48	-.45	-.49	-.45	-.42	-.45	-.38	-.40
L	-.06	-.07	-.06	-.09	-.08	-.08	-.02	-.01
50.0 U	-.45	-.37	-.38	-.37	-.32	-.34	-.26	-.31
L	---	-.05	-.05	-.06	-.05	-.04	-.02	-.01
60.0 U	-.39	-.37	-.36	-.32	-.21	-.21	-.18	-.24
L	0	-.05	-.02	-.04	-.02	-.02	0	0
70.0 U	-.31	-.22	-.18	-.20	-.15	-.11	-.10	-.15
L	-.01	-.02	-.02	-.06	-.05	-.05	-.01	-.02
73.0 U	---	---	---	---	-.12	---	-.08	-.10
L	---	---	---	---	---	---	-.09	---
75.0 U	---	---	---	---	---	---	---	---
L	---	---	---	---	---	---	---	---
80.0 U	-.38	-.10	-.12	-.06	-.04	-.03	-.06	-.02
L	-.04	0	-.07	-.07	-.09	-.10	0	0
85.0 U	---	-.10	-.06	-.07	-.09	-.03	-.02	0
L	---	-.01	-.02	-.07	-.09	-.03	-.01	-.03
90.0 U	-.17	-.08	0	-.01	-.08	-.02	-.01	-.02
L	-.04	-.01	-.02	-.06	-.06	-.06	-.06	-.04
95.0 U	---	-.04	-.04	-.02	-.02	-.02	-.02	-.03
L	---	-.02	-.02	-.02	-.02	-.02	-.02	-.07



TABLE VI. - CONTINUED

SLAT  $Q = 11.85$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	-1.01	-1.59	-1.81	-1.70	-0.99
0.25 U	-1.96	-1.84	-2.59	-2.47	-1.76
0.25 L	0.18	0.18	0.18	0.10	0.18
0.5 U	-1.98	-1.87	-2.38	-2.36	-1.60
0.5 L	0.22	0.21	0.38	0.35	0.44
1.0 U	-1.80	-1.67	-1.92	-1.81	-1.58
1.0 L	0.31	0.45	0.60	0.45	0.46
1.5 U	-1.63	0.48	-1.48	-1.53	-1.40
1.5 L	0.33	0.48	0.41	0.41	0.44
2.5 U	-1.72	-1.06	-1.19	-1.28	-1.18
2.5 L	0.31	0.36	0.40	0.40	0.33
3.5 U	-1.07	-1.14	-1.05	-1.10	-0.79
3.5 L	0.08	0.28	0.38	0.30	0.17
5.0 U	-0.92	-0.89	-0.92	-0.88	-0.88
5.0 L	0	0.08	0.14	0.18	0.12
7.5 U	-0.85	-0.77	-0.80	-0.85	-0.71
7.5 L	0.05	0.06	0.08	0.19	0.08
10.0 U	-0.74	-0.75	-0.76	-0.80	-0.72
10.0 L	0.01	0.10	0.08	0.20	0.10
15.0 U	-0.70	-0.62	-0.70	-0.81	-0.68
15.0 L	0.01	0.27	0	0.06	0.16
17.5 U	-0.72	0	0	0	0
17.5 L	0.45	0	0	0	0

SLAT  $Q = 12.04$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	-1.62	-2.39	-2.70	-2.48	-1.84
0.25 U	-2.59	-2.22	-3.65	-3.24	-2.30
0.25 L	-0.07	-0.02	-0.06	-0.14	-0.07
0.5 U	-2.65	-2.40	-3.10	-2.98	-2.16
0.5 L	0.28	0.32	0.32	0.34	0.36
1.0 U	-2.24	-2.02	-2.25	-2.04	-1.98
1.0 L	0.46	0.44	0.44	0.36	0.46
1.5 U	-1.85	0.49	-1.92	-1.99	-1.61
1.5 L	0.33	0.49	0.44	0.42	0.44
2.5 U	-1.82	-1.50	-1.49	-1.49	-1.44
2.5 L	0.42	0.44	0.41	0.44	0.37
3.5 U	-1.25	0	-1.21	-1.29	-0.94
3.5 L	0.37	0.38	0.38	0.30	0.20
5.0 U	-1.04	-1.02	-1.14	-1.02	-0.98
5.0 L	0.14	0.17	0.17	0.22	0.15
7.5 U	-0.92	-0.86	-0.97	-1.10	-0.80
7.5 L	0.04	0.13	0.15	0.25	0.12
10.0 U	-0.82	-0.82	-0.82	-0.91	-0.80
10.0 L	0.08	0.17	0.10	0.26	0.18
15.0 U	-0.79	-0.80	-0.82	-0.90	-0.74
15.0 L	0	0.28	0.03	0.08	0.20
17.5 U	-0.79	0	0	0	0
17.5 L	0.07	0	0	0	0

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-3.82	-5.67						
0.25 U	-4.67	-7.00						
0.25 L	-0.33	-1.50						
0.5 U	-3.88	-2.14						
0.5 L	0	-0.48						
1.0 U	-2.58	-5.77						
1.0 L	0.40	-0.20						
1.5 U	-2.19	-2.78						
1.5 L	0.50	0.44						
2.5 U	-1.71	-2.18						
2.5 L	0.54	0.88						
3.5 U	-1.44	-1.66						
3.5 L	0.53	0.81						
5.0 U	-1.18	-1.37	-1.26	-0.82	-0.38	-0.20		-0.72
5.0 L								
6.0 U			0.50	0.70	0.50	0.50		0.82
6.0 L	0.50	0.50	0.40	0.54	0.50	0.51		0.49
7.5 U	-0.93	-1.15	-0.86	-1.05	-0.85	-0.83		0.96
7.5 L	0.42	0.05	0.48	0.50	0.48	0.48		0.45
10.0 U	-0.83	-0.99	-0.66	-1.00	-0.96	-0.86		0.94
10.0 L	0.40		0.41	0.43	0.41	0.41		0.24
12.5 U			0.82	0.91	0.90	0.89		0.75
12.5 L								
15.0 U	-0.70	-0.83	-0.78	-0.78	-0.75	-0.61		0.70
15.0 L	0	0.09						
17.5 U	-0.67	-0.74	-0.79	-1.67	-1.76	-1.64		1.92
17.5 L								
20.0 U	-0.84	-0.70	-1.00	-0.88	-0.81	-0.80	-1.06	0.79
20.0 L	0.27	0.28	0.27	0.27	0.27	0.24	0.22	0.20
30.0 U	-0.55	-0.87	-0.68	-0.60	-0.55	-0.50		0.80
30.0 L	0.19	0.13	0.17	0.18	0.17	0.14	0.11	0.09
40.0 U	-0.52	-0.49	-0.50	-0.46	-0.46	-0.46	-0.36	0.42
40.0 L	0.10	0.08	0.09	0.12	0.12	0.08	0.02	0.04
50.0 U	-0.49	-0.39	-0.36	-0.37	-0.32	-0.35	-0.32	0.32
50.0 L	0	0.08	0.07	0.08	0.08	0.05	0.02	0.02
60.0 U	-0.40	-0.50	-0.26	-0.28	-0.20	-0.22	-0.22	0.22
60.0 L	0.02	0.04	0.05	0.05	0.02	0.04	0.04	0.03
70.0 U	-0.32	-0.25	-0.15	-0.21	-0.13	-0.16	-0.13	0.13
70.0 L	0.08	0.02	0.05	0.06	0.05	0.05	0.05	0.03
75.0 U					0.13		-0.15	0.11
75.0 L							0.02	
80.0 U								
80.0 L	-0.25	-0.13	-0.11	-0.08	-0.08	-0.06	0.06	0.02
85.0 U	-0.02	-0.08	0.08	0.08	0.10	0.10	0.02	0.02
85.0 L	-0.15	-0.08	0.06	0.01	0.01	0.03	0.01	0.01
90.0 U	-0.02	0.02	0.06	0.06	0.02	0.01	0.02	0.02
90.0 L	-0.18	-0.14	0	0.01	0.01	0.01	0.01	0.02
95.0 U	-0.04	-0.03	0.07	0.07	0.06	0.06	0.04	0.03
95.0 L	0	0.14	0.03	0.02	0.02	0.01	0.01	0.01

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-4.20	-4.47						
0.25 U	-5.20	-5.07						
0.25 L	-0.78	-0.90						
0.5 U	-3.77	-2.80						
0.5 L	-0.15	-0.20						
1.0 U	-2.50	-2.67						
1.0 L	0.38	0.31						
1.5 U	-2.30	-1.90						
1.5 L	0.31	0.31						
2.5 U	-1.84	-1.60						
2.5 L	0.27	0.22						
3.5 U	-1.62	-1.81						
3.5 L	0.56	0.54						
5.0 U	-1.26	-1.22	-1.10	-0.77	-0.35	-0.17		-0.74
5.0 L								
6.0 U			0.49	0.74	0.65	0.55		0.86
6.0 L	0.55	0.65	0.41	0.52	0.48	0.51		0.47
7.5 U	-0.92	-1.77	-0.92	-1.06	-0.95	-0.91		1.08
7.5 L	0.44	0.06	0.50	0.50	0.47	0.46		0.46
10.0 U	-0.86	-1.61	-1.03	-1.06	-1.04	-0.94		0.98
10.0 L	0.42		0.44	0.43	0.41	0.41		0.22
12.5 U			0.87	0.86	0.97	0.97		0.80
12.5 L								
15.0 U	-0.69	-1.19		0.61	0.80	0.86		0.78
15.0 L	0	0.09						
17.5 U	-0.68	-0.96	-0.84	-1.22	-1.20	-1.78		2.20
17.5 L								
20.0 U	-0.69	-0.58	-1.04	-0.90	-0.84	-0.85	-1.10	0.84
20.0 L	0.25	0.27	0.29	0.29	0.28	0.25	0.24	0.22
30.0 U	-0.60	-0.62	-0.70	-0.62	-0.58	-0.64	-0.62	0.55
30.0 L	0.18	0.13	0.17	0.18	0.22	0.18	0.13	0.09
40.0 U	-0.54	-0.49	-0.49	-0.48	-0.45	-0.48	-0.39	0.44
40.0 L	0.12	0.14	0.14	0.12	0.14	0.10	0	0.06
50.0 U	-0.51	-0.38	-0.36	-0.35	-0.34	-0.38	-0.34	0.34
50.0 L	0	0.10	0.11	0.08	0.09	0.08	0.01	0.03
60.0 U	-0.42	-0.30	-0.26	-0.21	-0.22	-0.28	-0.27	0.25
60.0 L	0.04	0.04	0.05	0.05	0.09	0.06	0.06	0.04
70.0 U	-0.34	-0.34	-0.14	-0.18	-0.18	-0.13	-0.17	0.13
70.0 L	0.05	0.06	0.08	0.06	0.06	0.06	0.02	0.06
75.0 U						-0.15		0.11
75.0 L							0.01	
80.0 U								
80.0 L	-0.24	-0.11	-0.10	-0.09	-0.05	-0.03	0.06	0.02
85.0 U	-0.01	0.08	-0.10	-0.08	0	0.11	0	0.08
85.0 L	-0.01	-0.08	0.07	0.10	0.02	0.01	0.01	0.04
90.0 U	-0.18	-0.02	-0.02	-0.08	0.02	0.01	-0.03	0.02
90.0 L	0.02	0	0.06	0.06	0.09	0.07	0.04	0.07
95.0 U	-0.04	-0.01	-0.01	-0.02	0.02	0.02	0.02	0.04
95.0 L	0	0.01	0.06	0.05	0.07	0.07	0.03	0.02





TABLE VI. - CONTINUED

SIAT  $\alpha = 15.25$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	-2.95	-3.34	-3.48	-3.40	-2.90
0.25	-3.32	---	-4.24	-5.64	-2.91
0.5	-3.54	-.59	-.80	-.45	---
1.0	-2.75	-2.90	-2.60	-2.45	-2.87
1.5	-2.18	-.46	-.45	-.40	-.64
2.5	-2.20	-1.65	-1.67	-1.74	-1.65
3.5	-1.44	-1.46	-1.44	-.45	-.40
5.0	-1.40	-.39	-.34	-.39	-.25
7.5	-1.00	-.97	-1.05	-1.25	-1.00
10.0	-.94	-.90	-.98	-1.09	-.89
15.0	-.14	-.25	-.19	-.31	-.21
17.5	-.63	-.52	0	-.08	-.25

SIAT  $\alpha = 14.86$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	-2.96	-4.40	-4.97	-4.47	-2.97
0.25	-4.80	-3.78	-5.34	-6.00	-3.90
0.5	-.60	-.58	-.78	-.58	---
1.0	-3.80	-3.88	-4.54	-4.84	-3.80
1.5	-.01	-.06	-.14	-.15	-.15
2.5	-3.03	-2.78	-3.08	-2.96	-2.85
3.5	-.42	-.42	-.35	-.35	-.26
5.0	-2.81	-.80	-2.50	-2.68	-2.17
7.5	-.27	-.41	-.44	-.44	-.40
10.0	-2.40	-1.71	-1.85	-2.00	-1.96
15.0	-1.60	-1.47	-1.63	-1.70	-1.51
17.5	-.45	-.45	-.50	-.46	-.32

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-4.87	-4.80	---	---	---	---	---	---
0.25	-5.87	-2.81	---	---	---	---	---	---
0.5	-3.77	-3.68	---	---	---	---	---	---
1.0	-3.01	-1.68	---	---	---	---	---	---
1.5	-2.85	-.25	---	---	---	---	---	---
2.5	-2.88	-1.84	---	---	---	---	---	---
3.5	-2.81	-1.68	---	---	---	---	---	---
5.0	-1.84	-.85	---	---	---	---	---	---
6.0	-1.97	-1.85	-1.07	-0.78	-0.33	-0.15	---	-0.76
7.5	-.53	-.65	-.59	-.79	-.71	-.55	---	-.98
10.0	-1.09	-1.69	-1.00	-1.17	-1.04	-.98	---	-1.11
12.5	-.47	-.06	-.49	-.51	-.48	-.49	---	-.47
15.0	-.96	-1.78	-1.19	-1.18	-1.18	-1.00	---	-1.04
17.5	-.44	---	-.44	-.44	-.40	---	---	-.59
20.0	---	---	-.94	-1.08	-1.04	-1.08	---	-.87
25.0	-.61	-1.05	---	-.86	-.84	-.92	---	-.78
30.0	-.76	-1.18	---	-.90	-1.01	-1.06	---	-1.07
35.0	-.73	-1.04	-1.11	-.93	-.90	-.89	-1.18	-.87
40.0	-.31	-.28	-.30	-.33	-.29	-.29	-.27	-.28
45.0	-.65	-.69	-.70	-.64	-.61	-.55	-.64	-.56
50.0	-.22	-.20	-.22	-.20	-.19	-.16	-.18	-.16
55.0	-.55	-.53	-.52	-.48	-.48	-.36	-.45	-.45
60.0	-.14	-.14	-.14	-.15	-.15	-.08	-.08	-.08
65.0	-.55	-.41	-.58	-.54	-.55	-.37	-.38	-.34
70.0	-.45	-.31	-.36	-.30	-.28	-.22	-.27	-.22
75.0	-.08	-.09	-.08	-.07	-.08	-.08	-.01	-.07
80.0	-.34	-.25	-.15	-.19	-.18	-.12	-.17	-.15
85.0	-.06	-.06	---	-.08	-.08	-.01	-.01	-.11
90.0	---	---	---	---	---	---	-.01	---
95.0	-.26	-.11	-.10	-.10	-.04	-.08	-.08	-.04
100.0	-.01	-.05	---	-.08	-.11	-.12	-.01	-.03
105.0	---	-.12	-.09	-.07	-.01	-.01	-.05	-.01
110.0	---	-.08	-.10	-.07	-.10	-.04	-.08	-.08
115.0	-.18	-.08	-.01	-.06	-.02	-.04	-.04	-.02
120.0	-.01	-.08	-.08	-.08	-.09	-.07	-.04	-.04
125.0	---	-.08	-.01	-.04	-.02	-.02	-.02	-.02
130.0	---	0	-.07	-.04	-.07	-.03	0	-.02
135.0	---	---	---	---	---	---	---	---

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-6.27	-1.74	---	---	---	---	---	---
0.25	-7.30	-3.13	---	---	---	---	---	---
0.5	-5.67	-1.60	---	---	---	---	---	---
1.0	-.64	-.27	---	---	---	---	---	---
1.5	---	---	---	---	---	---	---	---
2.5	-5.58	-1.50	---	---	---	---	---	---
3.5	-.34	-.25	---	---	---	---	---	---
4.5	-2.88	-1.48	---	---	---	---	---	---
5.5	-.54	-.60	---	---	---	---	---	---
6.5	-1.58	-1.53	---	---	---	---	---	---
7.5	-.59	-.80	---	---	---	---	---	---
8.5	-1.84	-1.58	-0.99	-0.74	-0.32	-0.11	---	-0.80
9.5	---	---	-.80	-.61	-.77	-.54	---	-.89
10.5	-.59	-.60	-.44	-.52	-.49	-.54	---	-.49
11.5	-1.20	-1.61	-1.00	-1.21	-1.12	-1.01	---	-1.20
12.5	-.58	-.07	-.85	-.60	-.47	-.62	---	-.48
13.5	---	---	---	---	---	---	---	---
14.5	-1.04	-1.59	-1.12	-1.18	-1.19	-1.04	---	-1.12
15.5	-.49	---	-.47	-.44	-.42	---	---	-.24
16.5	---	---	-.85	-1.04	-1.10	-1.08	---	-.94
17.5	-.85	-1.40	-.90	-.88	-.90	-.94	---	-.83
18.5	---	-.14	---	---	---	---	---	---
19.5	-.80	-1.27	-.89	-1.74	-1.79	-1.94	---	-2.17
20.5	---	---	---	---	---	---	---	---
21.5	-.78	-1.18	-1.13	-.93	-.95	-.91	-1.23	-.92
22.5	-.37	-.31	-.31	-.31	-.31	-.32	-.38	-.27
23.5	-.66	-.75	-.70	-.65	-.64	-.66	-.59	-.58
24.5	-.28	-.28	-.27	-.30	-.21	-.23	-.17	-.14
25.5	-.58	-.57	-.51	-.44	-.49	-.49	-.40	-.47
26.5	-.19	-.17	-.19	-.14	-.17	-.05	-.10	-.10
27.5	-.25	-.44	-.37	-.38	-.36	-.36	-.40	-.34
28.5	---	-.15	-.18	-.09	-.12	-.12	-.03	-.07
29.5	-.44	-.34	-.25	-.19	-.21	-.21	-.20	-.27
30.5	-.08	-.10	-.12	-.10	-.10	0	0	-.06
31.5	-.35	-.27	-.14	-.18	-.14	-.10	-.20	-.13
32.5	-.06	-.07	-.11	-.07	-.07	-.10	-.01	-.06
33.5	---	---	---	---	---	---	---	---
34.5	---	---	---	---	---	---	---	---
35.5	---	---	---	---	---	---	---	---
36.5	-.26	-.10	-.06	-.11	-.08	-.04	-.10	-.04
37.5	-.03	-.03	---	-.06	-.05	-.11	-.01	-.03
38.5	---	-.11	-.12	-.10	-.05	-.09	-.07	-.01
39.5	---	-.06	-.06	-.04	-.03	-.03	-.06	-.06
40.5	-.18	-.08	-.06	-.08	-.03	0	-.03	-.02
41.5	---	-.08	-.07	-.04	-.07	-.06	-.05	-.06
42.5	---	-.08	-.04	-.07	-.01	0	-.02	-.02
43.5	---	-.01	-.06	-.01	-.08	-.06	-.02	-.07



TABLE VI. - CONTINUED

SLAT  $\alpha = 16.25$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	-5.52	-5.67	-5.90	-5.00	-1.60
0.25	-4.73	-4.97	-5.50	-5.20	-5.00
0.5	-4.07	-4.20	-5.34	-5.20	-4.20
1.0	-1.15	-.94	-.41	-.48	-1.30
1.5	-3.27	-3.24	-3.89	-3.51	-3.30
1.5	-2.79	-.89	-.85	-.50	-2.59
1.5	-.22	-.43	-.37	-.37	-.40
2.5	-2.55	-1.98	-2.22	-2.30	-2.20
3.5	-1.43	-.46	-.44	-.40	-1.40
3.5	-1.74	-1.80	-1.91	-1.83	-1.54
5.0	-.41	-.35	-.42	-.46	-.37
5.0	-1.44	-1.44	-1.60	-.55	-1.43
7.5	-.16	-.24	-.32	-.36	-.38
7.5	-1.24	-1.17	-1.22	-1.21	-1.17
7.5	-.19	-.24	-.31	-.38	-.38
10.0	-1.08	-1.07	-1.19	-1.22	-1.09
15.0	-.15	-.36	-.52	-.40	-.38
15.0	-.95	-.86	-1.01	-1.12	-.98
17.5	-.92	-.50	0	-.14	-.32
17.5	-.84	---	---	---	---

SLAT  $\alpha = 17.24$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	-5.67	-6.13	-7.14	-7.14	-5.34
0.25	-4.94	-4.97	-7.07	-7.07	-5.90
0.5	-1.30	-1.24	-1.45	-1.78	---
0.5	-4.47	-4.47	-5.97	-5.97	-4.74
1.0	-.80	-.32	-.74	-.25	-.25
1.0	-3.22	-3.37	-3.93	-3.93	-3.93
1.5	-2.29	-.25	-3.24	-3.29	-3.86
1.5	-.20	-.48	-.32	-.34	---
2.5	-2.01	-2.01	-2.40	-2.29	-2.40
3.5	-.42	-.46	-.40	-.45	-.45
3.5	-1.79	-1.54	-2.03	-2.00	-1.70
5.0	-.42	-.44	-.44	-.48	-.28
5.0	-1.48	-1.47	-1.71	---	-1.55
7.5	-.26	-.26	-.35	-.36	-.38
7.5	-1.27	-1.19	-1.41	---	-1.29
10.0	-1.10	-1.22	-1.25	-.41	---
10.0	-.80	-1.09	-1.30	-1.30	-1.15
15.0	-.20	-.37	-.54	-.44	-.39
15.0	-.95	-.87	-1.06	-1.15	-1.04
17.5	-.83	-.33	0	-.15	-.24
17.5	-.59	---	---	---	---

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-8.20	-1.71	---	---	---	---	---	---
0.25	-9.16	-1.05	---	---	---	---	---	---
0.5	-2.50	-.44	---	---	---	---	---	---
0.5	-1.20	-.05	---	---	---	---	---	---
1.0	-4.47	-.94	---	---	---	---	---	---
1.0	-.14	-.33	---	---	---	---	---	---
1.5	-3.46	-.98	---	---	---	---	---	---
1.5	-.46	-.46	---	---	---	---	---	---
2.5	-2.64	-.91	---	---	---	---	---	---
3.5	-2.18	-.90	---	---	---	---	---	---
5.0	-.57	-.59	---	---	---	---	---	---
5.0	-1.84	-.91	-0.98	-0.70	-0.28	-0.13	---	-0.85
6.0	---	-.49	-.49	-.77	-.59	---	---	-1.06
6.0	-.50	-.60	-.42	-.49	-.50	---	---	-.43
7.5	-1.44	-.91	-1.01	-1.15	-1.14	-1.08	---	-1.23
7.5	-.56	-.05	-.50	-.48	-.48	---	---	-.44
10.0	-1.21	-.92	-1.12	-1.11	-1.20	-1.12	---	-1.19
12.5	-.56	---	-.46	-.44	---	---	---	-.28
12.5	---	---	-.44	-1.09	-1.10	---	---	-.92
15.0	-.98	-.94	---	-.84	-.98	-1.10	---	-.98
15.0	-.10	---	---	---	---	---	---	---
17.5	-.93	-.94	---	-1.26	-1.20	-2.09	---	-2.25
20.0	-.99	-.93	-1.04	-.88	-.92	-.95	-1.21	-.97
20.0	-.48	-.31	-.32	-.34	-.38	-.33	-.38	-.39
30.0	-.54	-.89	-.82	-.57	-.58	-.86	-.57	-.83
30.0	-.58	-.81	-.84	-.58	-.83	-.81	-.14	---
40.0	-.54	-.81	-.44	-.58	-.42	-.49	-.39	-.49
40.0	-.24	-.18	-.20	-.15	-.19	-.09	-.10	-.10
50.0	-.63	-.71	-.32	-.32	-.28	-.34	-.35	-.36
50.0	-.15	-.16	-.38	-.38	-.13	-.11	-.05	-.07
60.0	-.82	-.69	-.28	-.29	-.19	-.21	-.27	-.27
60.0	-.12	-.11	-.12	-.05	-.11	-.11	-.14	-.07
70.0	-.42	-.48	-.22	-.30	-.22	-.11	-.17	-.14
70.0	-.10	-.07	-.10	-.05	-.10	-.06	-.06	-.08
75.0	---	---	---	---	---	---	-.25	-.13
75.0	---	---	---	---	---	---	---	---
80.0	-.30	-.18	-.19	-.21	-.11	-.05	-.11	-.04
80.0	-.08	-.04	---	-.08	-.10	-.08	-.01	-.04
85.0	---	-.20	0	-.26	-.10	-.08	-.08	-.01
85.0	---	-.06	0	-.07	0	-.01	-.01	0
90.0	---	-.18	-.08	-.08	-.10	-.05	-.07	-.01
90.0	-.02	0	-.04	-.04	-.06	-.04	-.04	-.06
95.0	---	-.12	-.14	-.14	-.08	-.02	-.04	-.02
95.0	---	-.02	-.02	-.02	0	-.02	-.01	-.02

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-7.34	-1.38	---	---	---	---	---	---
0.25	-10.40	-.94	---	---	---	---	---	---
0.5	-2.21	-.40	---	---	---	---	---	---
0.5	-5.27	-.90	---	---	---	---	---	---
1.0	-1.44	0	---	---	---	---	---	---
1.0	-4.80	-.96	---	---	---	---	---	---
1.5	-.23	-.33	---	---	---	---	---	---
1.5	-3.66	-.87	---	---	---	---	---	---
2.5	-.23	-.47	---	---	---	---	---	---
3.5	-2.85	-.85	---	---	---	---	---	---
3.5	-.59	-.84	---	---	---	---	---	---
5.0	-.63	-.60	---	---	---	---	---	---
5.0	-2.03	-.83	-1.00	-0.71	-0.32	-0.15	---	-0.93
6.0	---	-.53	-.60	-.85	-.64	---	---	-1.17
6.0	-.66	-.60	-.38	-1.49	-.47	-.49	---	-.44
7.5	-1.99	-.84	-1.08	-1.09	-1.24	-1.15	---	-1.40
7.5	-.64	-.10	-.46	-.49	-.48	-.49	---	-.43
10.0	-1.29	-.85	-1.10	-1.18	-1.29	-1.18	---	-1.30
12.5	-.82	---	-.44	-.42	-.45	---	---	-.19
12.5	---	---	-.97	-1.00	-1.15	-1.22	---	-1.08
15.0	-1.07	-.87	---	-.84	-.98	-1.07	---	-.97
15.0	-.15	---	---	---	---	---	---	---
17.5	-1.01	-.86	-.90	-1.87	-1.95	-2.06	---	-2.40
20.0	-.97	-.86	-1.03	-.89	-.99	-1.00	-1.30	-1.06
30.0	-.82	-.31	-.34	-.31	-.33	-.32	-.31	-.36
30.0	-.83	-.64	-.60	-.66	-.64	-.72	-.72	-.67
40.0	-.37	-.84	-.24	-.21	-.23	-.24	-.20	-.13
40.0	-.74	-.81	-.44	-.40	-.47	-.53	-.42	-.53
50.0	-.28	-.12	-.14	-.14	-.17	-.17	-.08	-.08
50.0	-.87	-.75	-.54	-.56	-.52	-.56	-.41	-.39
60.0	---	-.15	-.09	-.11	-.11	-.11	-.07	-.06
60.0	-.55	-.69	-.26	-.32	-.24	-.23	-.20	-.22
70.0	-.15	-.11	-.09	-.04	-.10	-.09	-.08	-.08
70.0	-.45	-.41	-.25	-.31	-.31	-.32	-.23	-.15
75.0	-.11	-.08	-.06	-.04	-.08	-.08	-.03	-.04
75.0	---	---	---	---	---	---	---	---
75.0	---	---	---	---	---	---	---	---
80.0	-.33	-.25	-.22	-.22	-.24	-.06	-.14	-.03
80.0	-.05	-.02	-.02	-.02	-.02	0	-.02	-.02
85.0	---	-.40	-.25	-.21	-.12	-.06	-.11	-.02
85.0	---	0	-.06	-.03	-.07	-.02	-.02	0
90.0	---	-.31	-.22	-.32	-.11	-.04	-.02	0
90.0	-.02	-.02	-.02	-.02	-.02	-.02	-.02	0
95.0	---	-.25	-.19	-.25	-.09	-.03	-.02	-.02
95.0	---	-.02	-.02	-.12	0	-.02	-.02	-.02

TABLE VI. - CONTINUED

SLAT  $\alpha = 18.84$

Orifice Location Percent Chord	STATIONS				
	III	B	O	D	E
0 U	-4.40	-6.85	-6.00	-6.20	-6.20
0.25 U	-5.47	-6.40	-6.14	-6.25	-6.47
0.5 U	-4.94	-4.87	-6.40	-6.87	-6.20
1.0 U	-5.35	-4.48	-4.98	-4.98	-4.48
1.5 U	-5.84	-5.85	-4.40	-5.87	-4.20
1.5 U	-.80	-.80	-.80	-.80	-.80
1.5 U	-5.09	---	-5.55	-5.87	-5.12
2.5 U	.81	---	.85	.30	---
2.5 U	-1.87	-2.14	-2.41	-2.75	-2.87
3.5 U	.46	.47	.42	.47	.45
3.5 U	-1.64	-1.93	-2.28	-2.37	-1.83
5.0 U	.45	.45	.45	.45	.31
5.0 U	-1.31	-1.53	-1.88	---	-1.65
7.5 U	.31	.29	.58	.60	.55
7.5 U	-1.12	-1.24	-1.58	-1.89	-1.54
10.0 U	.26	.29	---	.45	---
10.0 U	-1.06	-1.10	-1.34	-1.59	-1.22
12.0 U	.55	.41	.56	.49	.40
12.0 U	-.87	-.89	-1.10	-1.23	-1.08
17.5 U	-.93	-.59	.01	-.17	-.58
17.5 U	-.58	---	---	---	---

SLAT  $\alpha = 19.19$

Orifice Location Percent Chord	STATIONS				
	III	B	O	D	E
0 U	-3.00	-7.94	-6.47	-6.47	-7.14
0.25 U	-3.00	-6.97	-6.80	-6.80	-7.58
0.5 U	-1.78	-1.86	-2.89	-2.70	---
0.5 U	-5.40	-5.33	-7.14	-7.14	-5.75
1.0 U	-.68	-.68	-1.10	-1.24	-.64
1.0 U	-3.90	-3.89	-4.74	-4.76	-4.87
1.5 U	---	---	---	---	---
1.5 U	-2.64	-2.64	-3.98	-3.94	-3.58
2.5 U	.18	.35	.31	.18	---
2.5 U	---	-2.97	-2.82	-2.98	-2.78
3.5 U	.42	.48	.40	.39	.45
3.5 U	-1.95	-2.01	-2.59	-2.49	-2.01
5.0 U	.42	.45	.45	.44	.31
5.0 U	-1.80	-1.82	-1.98	---	-1.79
7.5 U	.24	.34	.34	.35	.36
7.5 U	-1.34	-1.29	-1.62	-2.11	-1.44
10.0 U	.27	.39	---	.42	.38
10.0 U	-1.18	-1.15	-1.56	-1.52	-1.50
15.0 U	.41	.41	.58	.45	.38
15.0 U	-1.00	-.81	-1.28	-1.34	-1.15
17.5 U	-.95	-.55	-.06	.23	-.37
17.5 U	-.60	---	---	---	---

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	O	D	VI	E
0 U	-10.13	-0.89	---	---	---	---	---	---
0.25 U	-11.80	-1.33	---	---	---	---	---	---
0.5 U	-7.07	-.95	---	---	---	---	---	---
0.5 U	-1.81	-.07	---	---	---	---	---	---
1.0 U	-4.87	-.87	---	---	---	---	---	---
1.5 U	-.44	-.28	---	---	---	---	---	---
1.5 U	-5.95	-.86	---	---	---	---	---	---
2.5 U	-5.06	-.88	---	---	---	---	---	---
3.5 U	.42	.87	---	---	---	---	---	---
3.5 U	-2.89	-.88	---	---	---	---	---	---
5.0 U	.58	.87	---	---	---	---	---	---
5.0 U	-2.58	-.86	-0.92	-0.74	-0.33	-0.18	---	-0.98
6.0 U	---	---	---	---	---	---	---	---
6.0 U	.63	.37	-.45	-.64	-.89	-.68	---	-1.22
7.5 U	-1.79	-.87	-1.00	-1.23	-1.28	-1.20	---	-1.47
7.5 U	.84	.13	.48	.49	.47	.80	---	.45
10.0 U	-2.44	-.88	-1.10	-1.17	-1.34	-1.23	---	-1.28
10.0 U	.62	---	.45	.45	.44	---	---	.21
12.5 U	---	---	-.90	-1.04	-1.22	-1.25	---	-1.12
15.0 U	-1.82	-.89	---	-.87	-1.02	-1.09	---	-1.00
15.0 U	-.17	---	---	---	---	---	---	---
17.5 U	-1.17	-.87	-.85	-1.60	-2.07	-2.17	---	-2.48
20.0 U	-1.06	-.85	-1.02	-.90	-1.01	-1.03	---	-1.08
20.0 U	.48	.38	.87	.53	.34	.24	---	.24
20.0 U	-.89	-.85	-.60	-.89	-.85	-.74	---	-.89
40.0 U	.39	.23	.18	.28	.28	.28	---	.15
40.0 U	.77	.83	.43	.42	.46	.53	---	.45
40.0 U	-.89	.17	.14	.42	.19	.17	---	.12
60.0 U	-.70	-.81	-.34	-.39	-.33	-.37	---	-.39
60.0 U	---	.15	.10	.13	.12	.08	---	.08
60.0 U	-.89	-.73	-.30	-.36	-.25	-.25	---	-.28
70.0 U	-.18	-.10	-.09	-.08	-.10	-.06	---	.07
70.0 U	-.47	-.68	-.89	-.97	-.84	-.14	---	-.18
75.0 U	.12	.05	.66	.05	.05	.08	---	.04
75.0 U	---	---	---	---	.24	---	---	-.18
75.0 U	---	---	---	---	---	.06	---	---
80.0 U	-.35	-.95	-.24	-.87	-.17	-.07	---	-.16
80.0 U	.07	-.08	-.01	-.09	.11	0	---	-.04
85.0 U	---	-.48	-.33	-.32	-.16	-.06	---	.12
85.0 U	---	-.01	-.02	-.03	-.06	-.05	---	0
90.0 U	-.27	-.36	-.29	-.33	-.14	-.08	---	-.10
95.0 U	.03	-.04	-.03	-.07	.08	.08	---	.08
95.0 U	---	-.23	-.28	-.31	.12	-.04	---	.08
95.0 U	---	-.07	-.08	-.15	0	-.03	---	-.08

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	O	D	VI	E
0 U	-10.80	-1.29	---	---	---	---	---	---
0.25 U	-11.82	-.97	---	---	---	---	---	---
0.5 U	-3.89	-.81	---	---	---	---	---	---
0.5 U	-1.98	-.11	---	---	---	---	---	---
1.0 U	-7.13	-.89	---	---	---	---	---	---
1.5 U	-.49	-.29	---	---	---	---	---	---
1.5 U	-4.07	-.86	---	---	---	---	---	---
2.5 U	-3.20	-.88	---	---	---	---	---	---
3.5 U	.44	.83	---	---	---	---	---	---
3.5 U	-2.88	-.88	---	---	---	---	---	---
5.0 U	.98	.88	---	---	---	---	---	---
5.0 U	-2.50	-.88	-0.93	-0.76	-0.35	-0.18	---	-1.01
6.0 U	---	---	---	---	---	---	---	---
6.0 U	.65	.37	-.49	-.85	-.82	-.69	---	-1.29
7.5 U	-2.08	-.89	-1.03	-1.27	-1.36	-1.24	---	-1.55
7.5 U	.88	.18	.48	.47	.47	.81	---	.44
10.0 U	-1.64	-.90	-1.15	-1.18	-1.39	-1.28	---	-1.44
10.0 U	.66	---	.45	.45	.45	---	---	.21
12.5 U	---	---	-.96	-1.04	-1.22	-1.20	---	-1.12
15.0 U	-1.48	-.91	---	-.85	-1.08	-1.15	---	-1.06
15.0 U	-.80	---	---	---	---	---	---	---
17.5 U	-1.39	-.84	-.92	-1.60	-2.12	-2.26	---	-2.87
20.0 U	-1.21	-.84	-1.00	-.90	-1.05	-1.08	---	-1.27
20.0 U	.82	.33	.83	.38	.35	.35	---	.33
20.0 U	-.96	-.83	-.60	-.89	-.68	-.78	---	-.71
40.0 U	.41	.84	.89	.94	.96	.86	---	.84
40.0 U	-.80	-.81	-.43	-.42	-.48	-.84	---	-.43
40.0 U	-.80	.18	.90	.17	.19	.19	---	.11
60.0 U	-.74	-.78	-.84	-.59	-.84	-.58	---	-.49
60.0 U	---	.13	.16	.11	.14	.14	---	.09
60.0 U	-.51	-.78	-.30	-.38	-.28	-.24	---	-.30
70.0 U	-.17	-.10	.11	.06	.11	.11	---	.06
70.0 U	-.51	-.71	-.89	-.88	-.87	-.14	---	-.80
75.0 U	.12	.05	.07	.04	.03	.08	---	.04
75.0 U	---	---	---	---	.26	---	---	-.15
75.0 U	---	---	---	---	---	.04	---	---
80.0 U	-.59	-.89	-.39	-.30	-.80	-.08	---	-.16
80.0 U	.07	0	.01	.08	.12	0	---	-.06
85.0 U	---	-.84	-.84	-.38	-.18	-.07	---	.14
85.0 U	---	-.08	-.03	-.05	-.07	-.05	---	0
90.0 U	-.30	-.47	-.31	-.35	-.16	-.06	---	-.15
95.0 U	.01	-.06	-.02	-.09	.04	.08	---	.01
95.0 U	---	-.40	-.28	-.34	-.15	-.08	---	-.12
95.0 U	---	-.12	-.06	-.14	-.02	-.05	---	-.08




TABLE VI. - CONTINUED

SIAT  $\alpha = 20.16$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	-5.75	-9.07	-10.80	-10.74	-7.07
0.25	-6.87	-6.87	-10.54	-9.47	-8.80
0.5	-8.06	-8.20	-8.81	-8.16	---
0.5	-8.87	-4.80	-7.87	-7.60	-5.47
1.0	-.45	-.87	-1.44	-1.65	-.78
1.0	-4.87	-4.87	-5.40	-4.94	-4.82
1.5	-.15	-.05	-.16	-.36	-.06
1.5	-5.40	---	-4.80	---	---
2.5	.17	.89	.12	.21	---
2.5	-8.90	-2.58	-3.03	-3.14	-2.94
3.5	.40	.46	.38	.37	.59
3.5	-2.03	-2.09	-2.87	-2.81	-2.24
5.0	.45	.45	.45	.45	.29
5.0	-1.87	-1.86	-2.15	---	-2.08
7.5	-1.38	-1.33	-1.75	-2.83	-1.70
10.0	.29	.35	---	.45	---
10.0	-1.80	-1.18	-1.81	-1.86	-1.48
15.0	-.40	-.43	-.37	-.50	-.58
15.0	-1.02	-.93	-1.22	-1.28	-1.80
17.5	-.97	-.54	---	-.27	-.45
17.5	-.23	---	---	---	---

SIAT  $\alpha = 21.14$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	-6.85	-10.14	-11.60	-4.54	-4.94
0.25	-7.80	-7.60	-11.40	-3.98	-4.87
0.5	-2.37	-1.66	-3.12	-1.72	---
0.5	-6.87	-6.87	-8.20	-3.87	-3.87
1.0	-.80	---	-1.08	-1.54	-.80
1.0	-2.84	-4.84	-2.73	-3.34	-3.38
1.5	.18	-.06	-.23	.01	-.03
1.5	---	---	-4.40	-3.38	-5.09
2.5	.17	.23	-.74	-.32	---
2.5	-2.96	-2.53	-3.17	-3.54	-2.81
3.5	.39	.44	.37	.48	0
3.5	-2.10	-2.21	-2.69	-3.34	-2.54
5.0	.44	.47	.44	.52	.26
5.0	-1.71	-1.77	-2.27	---	-2.15
7.5	.29	.36	.43	.47	.32
7.5	-1.42	-1.40	-1.85	-3.32	-1.81
10.0	.33	.37	.40	.52	---
10.0	-1.33	-1.34	-1.87	-2.42	-1.83
15.0	-.54	-.42	-.40	-.54	-.34
15.0	-1.04	-.97	-1.24	-1.87	-1.24
17.5	-.88	-.88	-.88	-.52	-.45
17.5	-.64	---	---	---	---

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-11.87	-1.22	---	---	---	---	---	---
0.25	-10.94	-.34	---	---	---	---	---	---
0.5	-8.46	-.89	---	---	---	---	---	---
1.0	-1.87	-1.14	---	---	---	---	---	---
1.0	-1.84	-.86	---	---	---	---	---	---
1.5	-4.27	-.86	---	---	---	---	---	---
1.5	.13	.41	---	---	---	---	---	---
2.5	-5.22	-.88	---	---	---	---	---	---
3.5	-5.16	-.84	---	---	---	---	---	---
5.0	.21	.87	---	---	---	---	---	---
5.0	-2.95	-.84	-0.80	-0.78	-0.34	-0.18	---	-1.06
6.0	---	---	-.47	-.85	-.97	-.71	---	-1.55
6.0	.68	.58	.27	.49	.46	.49	---	.44
7.5	-2.45	-.86	-1.06	-1.87	-1.41	-1.29	---	-1.62
7.5	---	-.14	.47	.50	.57	.51	---	.44
10.0	-2.00	-.88	-1.14	-1.19	-1.44	-1.31	---	-1.46
15.0	.87	---	.45	.47	.45	---	---	.19
15.0	---	---	-.84	-1.04	-1.51	-1.53	---	-1.19
15.0	-1.71	-.89	---	-.87	-1.03	-1.15	---	-1.06
17.5	-1.59	-.86	-.68	-1.60	-2.14	-2.50	---	-2.54
20.0	-1.41	-.84	-1.06	-.91	-1.07	-1.08	-1.40	-1.28
30.0	.52	.34	.34	.37	.37	.37	.36	.30
30.0	-1.08	-.83	-.88	-.59	-.49	-.76	-.77	-.71
40.0	.42	.22	.29	.28	.28	.28	.28	.17
40.0	-.90	-.82	-.45	-.44	-.49	-.54	-.44	-.54
50.0	.52	.18	.22	.19	.21	.21	.24	.14
50.0	-.80	-.80	-.37	-.42	-.35	-.39	-.43	-.38
60.0	---	.14	.16	.15	.15	.09	.10	.09
60.0	-.68	-.78	-.54	-.42	-.29	-.24	-.31	-.28
70.0	.18	.09	.12	.07	.12	.15	.06	.08
70.0	-.87	-.78	-.32	-.41	-.28	-.16	-.22	-.18
73.0	.13	.02	.06	.06	.07	.10	.05	.05
73.0	---	---	---	---	-.27	-.21	-.15	---
75.0	---	---	---	---	---	---	---	.83
80.0	---	---	---	---	---	---	---	---
80.0	-.47	-.37	-.56	-.33	-.21	-.09	-.17	-.08
85.0	.08	.06	---	-.01	-.19	.11	-.05	-.06
85.0	---	-.86	-.37	-.87	-.08	-.17	-.07	---
90.0	---	-.08	-.03	-.04	-.08	0	-.05	---
90.0	-.58	-.61	-.54	-.38	-.18	-.07	-.18	-.08
95.0	---	-.14	-.02	-.08	-.05	.06	.13	.04
95.0	---	-.32	-.04	-.15	-.02	.05	-.05	.04

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-7.07	-1.21	---	---	---	---	---	---
0.25	-6.72	-.88	---	---	---	---	---	---
0.5	---	-.59	---	---	---	---	---	---
0.5	-5.74	-.89	---	---	---	---	---	---
1.0	-1.48	-.18	---	---	---	---	---	---
1.0	-5.60	-.86	---	---	---	---	---	---
1.5	---	-.80	---	---	---	---	---	---
1.5	-3.27	-.58	---	---	---	---	---	---
2.5	.21	.38	---	---	---	---	---	---
2.5	-2.96	-.85	---	---	---	---	---	---
3.5	---	.58	---	---	---	---	---	---
3.5	-2.83	-.88	---	---	---	---	---	---
5.0	.62	.88	---	---	---	---	---	---
5.0	-2.64	-.86	---	---	---	---	---	-1.04
6.0	---	---	-0.92	-0.83	-0.35	-0.22	---	---
6.0	---	---	-.48	-.67	-1.00	-.81	---	-1.55
6.0	.67	.57	.42	.46	.47	.52	---	.45
7.5	-2.21	-.86	-1.08	-1.31	-1.36	-1.44	---	-1.87
7.5	.67	.16	.47	.50	.48	.53	---	.48
10.0	-2.02	-.88	-1.12	-1.21	-1.32	-1.40	---	-1.26
15.0	.87	---	.45	.45	.45	---	---	.19
15.0	---	---	-1.00	-1.06	-1.33	-1.41	---	-.96
15.0	-1.77	-.89	---	-.79	-1.09	-1.22	---	-.84
17.5	-1.67	-.83	-.88	-1.59	-2.12	-2.40	---	-2.51
20.0	-1.42	-.81	-1.01	-.90	-1.09	-1.12	-.92	-.81
30.0	.52	.35	.35	.37	.36	.38	.37	.28
30.0	-1.19	-.81	-.80	-.59	-.69	-.80	-.60	-.61
40.0	.42	.27	.30	.27	.29	.29	.27	.18
40.0	-.99	-.80	-.44	-.44	-.80	-.58	-.48	-.54
50.0	.52	.23	.23	.20	.23	.23	.13	.15
50.0	-.82	-.78	-.36	-.43	-.27	-.41	-.45	-.47
60.0	---	.15	.17	.14	.16	.16	.10	.09
60.0	-.79	-.76	-.54	-.42	-.31	-.26	-.32	-.45
70.0	.18	.11	.12	.06	.14	.14	.06	.07
70.0	-.83	-.74	-.35	-.42	-.28	-.19	-.24	-.26
73.0	.12	.04	.09	.06	.06	.11	.03	.04
73.0	---	---	---	---	-.26	-.21	-.14	---
75.0	---	---	---	---	---	---	---	.08
80.0	---	---	---	---	---	---	---	---
80.0	---	-.41	-.37	-.36	-.22	-.14	-.24	-.26
85.0	.04	.07	---	.01	.09	.10	-.04	-.06
85.0	---	-.12	-.42	-.39	-.08	-.13	-.23	-.21
90.0	---	-.12	.01	-.04	.06	.01	-.06	.01
90.0	-.63	-.68	-.37	-.40	-.21	-.12	-.23	-.17
95.0	---	.07	-.04	-.09	.02	.08	-.06	0
95.0	---	-.34	-.24	-.26	-.20	-.10	-.31	-.24
17.5	---	-.28	-.06	-.16	-.04	-.02	-.13	-.01

TABLE VI. - CONTINUED

SLAT  $\alpha = 22.00$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	-6.72	-10.87	-6.80	-5.97	-5.98
0.25	-7.87	-8.07	-8.97	-4.07	-2.47
0.5	-6.52	-6.52	-4.74	-3.72	-2.56
1.0	-1.95	-1.25	-1.12	-1.04	-.47
1.5	-4.74	-4.72	-4.00	-5.58	-2.37
2.5	-.20	-.15	-.04	-.14	-.14
5.5	-4.06	-.74	-3.56	-2.52	-.50
5.0	-.17	.20	.80	.21	---
7.5	-5.02	-2.53	-3.47	-2.85	-2.22
10.0	-.37	.42	.42	.74	.42
15.0	-2.16	-2.37	-2.53	-2.17	-2.27
17.5	-.44	.42	.49	.30	.50
5.0	-1.75	-1.84	-3.45	---	-2.25
7.5	-.59	.42	.42	.30	.36
10.0	-1.45	-1.45	-2.52	-1.92	-1.99
15.0	-.52	.42	.42	.30	.36
17.5	-1.22	-1.22	-2.19	-1.79	-1.57
5.0	-.36	.39	.40	.46	.40
7.5	-1.07	-1.00	-1.49	-1.50	-1.12
10.0	-.42	-.42	-.42	-.42	-.42
15.0	-1.01	---	---	---	---
17.5	-.59	---	---	---	---

SLAT  $\alpha = 23.98$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	-7.67	-12.26	-2.92	-4.07	-2.29
0.25	-8.40	-8.75	-1.37	-3.05	-1.91
0.5	-6.40	-6.80	-2.22	-5.04	-1.54
1.0	-1.29	-1.54	.06	-.79	-.24
1.5	-4.94	-4.76	-2.22	-3.32	-1.97
2.5	-2.21	-.32	.15	-.02	.17
5.5	-2.42	-2.12	-3.24	-3.24	-2.07
5.0	-.14	.21	.15	.24	---
7.5	-3.00	-2.75	-2.24	-1.61	-2.04
10.0	-.34	.41	.42	.40	.42
15.0	-2.22	-2.42	-2.54	-1.63	-2.12
17.5	-.44	.42	.42	.42	.22
5.0	-1.97	-2.12	-2.24	---	-2.12
7.5	-.35	.42	.42	.40	.36
10.0	-1.61	-1.89	-2.24	-1.62	-1.52
15.0	-.40	.44	---	.43	---
17.5	-1.55	-1.57	-2.12	-1.42	-1.22
5.0	-.38	.39	.42	.42	.39
7.5	-1.19	-1.22	-1.51	-1.32	-1.02
10.0	-.42	-.42	-.42	-.42	-.42
15.0	-1.12	---	---	---	---
17.5	-.75	---	---	---	---

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-4.47	-1.17	---	---	---	---	---	---
0.25	-3.12	-.91	---	---	---	---	---	---
0.5	-2.22	-.59	---	---	---	---	---	---
1.0	-2.90	-.87	---	---	---	---	---	---
1.5	-1.09	-.32	---	---	---	---	---	---
2.5	-2.72	-.32	---	---	---	---	---	---
5.5	-1.09	.10	---	---	---	---	---	---
5.0	-2.52	-.52	---	---	---	---	---	---
6.0	-.99	.39	---	---	---	---	---	---
7.5	-2.40	-.82	---	---	---	---	---	---
10.0	-.70	.12	.42	.50	.54	---	---	---
12.5	-1.82	-.84	-1.20	-1.22	-1.22	-1.22	---	---
15.0	-.69	.42	.47	.42	---	---	---	---
17.5	---	-1.02	-1.07	-1.42	-1.14	---	---	---
20.0	-1.62	-.82	-.79	-1.17	-.94	---	---	---
25.0	-1.42	-.82	-1.02	-1.42	-1.02	---	---	---
30.0	-.62	.54	---	---	---	---	---	---
40.0	-1.42	-.82	-1.04	-.82	-1.12	-.82	---	---
50.0	-.62	.54	---	---	---	---	---	---
60.0	-1.42	-.82	-1.04	-.82	-1.12	-.82	---	---
70.0	-.62	.54	---	---	---	---	---	---
75.0	-1.42	-.82	-1.04	-.82	-1.12	-.82	---	---
80.0	-.62	.54	---	---	---	---	---	---
85.0	-1.42	-.82	-1.04	-.82	-1.12	-.82	---	---
90.0	-.62	.54	---	---	---	---	---	---
95.0	-1.42	-.82	-1.04	-.82	-1.12	-.82	---	---

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-2.02	-1.02	---	---	---	---	---	---
0.25	-1.62	-.82	---	---	---	---	---	---
0.5	-1.30	-.49	---	---	---	---	---	---
1.0	-1.02	-.79	---	---	---	---	---	---
1.5	-1.52	-.75	---	---	---	---	---	---
2.5	-1.12	-.12	---	---	---	---	---	---
5.5	-1.44	-.72	---	---	---	---	---	---
5.0	-.62	.54	---	---	---	---	---	---
6.0	-1.32	-.82	---	---	---	---	---	---
7.5	-1.44	-.77	-0.99	-1.02	-0.79	-0.21	---	-0.54
10.0	-.62	.54	---	---	---	---	---	---
12.5	-1.44	-.77	---	---	---	---	---	---
15.0	-.62	.54	---	---	---	---	---	---
17.5	-1.44	-.77	---	---	---	---	---	---
20.0	-.62	.54	---	---	---	---	---	---
25.0	-1.44	-.77	---	---	---	---	---	---
30.0	-.62	.54	---	---	---	---	---	---
40.0	-1.44	-.77	---	---	---	---	---	---
50.0	-.62	.54	---	---	---	---	---	---
60.0	-1.44	-.77	---	---	---	---	---	---
70.0	-.62	.54	---	---	---	---	---	---
75.0	-1.44	-.77	---	---	---	---	---	---
80.0	-.62	.54	---	---	---	---	---	---
85.0	-1.44	-.77	---	---	---	---	---	---
90.0	-.62	.54	---	---	---	---	---	---
95.0	-1.44	-.77	---	---	---	---	---	---

TABLE VI. - CONCLUDED

SLAT  $\alpha = 25.88$

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	-7.87	-8.94	-9.88	-2.58	-1.88
0.25 U	-6.40	-5.80	-1.98	-1.85	-1.09
L	-3.72	-3.16	-.99	-.98	---
0.5 U	-4.94	-4.27	-1.65	-1.87	-1.04
L	-1.67	-1.52	-.43	-.41	-.04
1.0 U	-3.76	-3.47	-1.69	-2.09	-1.10
L	---	-.81	-.28	-.13	-.21
1.5 U	-2.98	-3.00	-1.58	-1.94	-1.16
L	-.10	.11	.24	.24	---
2.5 U	-2.69	-2.96	-1.49	-1.50	-1.16
L	-.28	-.22	-.49	-.48	-.43
3.5 U	-2.78	-2.85	-1.54	-1.18	-1.28
L	-.42	-.50	-.81	-.48	-.89
5.0 U	-2.73	-2.92	-1.51	-1.07	-1.24
L	-.57	-.45	-.45	-.45	-.56
7.5 U	-2.58	-2.81	-1.49	-1.12	-1.14
L	-.45	-.50	-.47	---	---
10.0 U	-2.39	-2.74	-1.49	-1.06	-.98
L	-.40	-.39	-.45	-.80	-.40
15.0 U	-1.86	-1.62	-1.46	-1.06	-.96
L	---	-.60	-.09	-.14	-.19
17.5 U	-1.50	---	---	---	---
L	-.79	---	---	---	---

WING

Orifice Location Percent Chord	STATIONS							
	I	A	III	B	C	D	VI	E
0	-1.56	-1.09	---	---	---	---	---	---
0.25 U	---	-.86	---	---	---	---	---	---
L	-1.06	-.70	---	---	---	---	---	---
0.5 U	-1.28	-.82	---	---	---	---	---	---
L	-.42	-.31	---	---	---	---	---	---
1.0 U	-1.15	-.79	---	---	---	---	---	---
L	-.20	-.11	---	---	---	---	---	---
1.5 U	-1.14	-.75	---	---	---	---	---	---
L	-.45	-.34	---	---	---	---	---	---
2.5 U	-1.10	-.78	---	---	---	---	---	---
L	-.62	-.22	---	---	---	---	---	---
3.5 U	-1.08	-.78	---	---	---	---	---	---
L	-.78	-.60	---	---	---	---	---	---
5.0 U	-1.16	-.79	-1.04	-1.29	-0.50	-0.06	---	-0.69
L	---	---	-.52	-1.15	-1.28	-.55	---	-.81
6.0 U	---	---	-.38	-.49	-.50	-.53	---	-.49
L	-.74	-.80	-1.26	-1.24	-1.88	-1.07	---	-1.11
7.5 U	-1.14	-.90	-.48	-.61	-.52	-.56	---	-.49
L	-.76	-.12	---	---	---	---	---	---
10.0 U	-1.13	-.80	-1.29	-1.29	-1.74	-1.11	---	-.88
L	-.73	-.49	-.51	-.51	-.51	-.47	---	-.82
12.5 U	---	---	-1.07	-1.15	-1.56	-1.10	---	-.88
L	---	---	---	---	---	---	---	---
15.0 U	-1.10	-.82	---	-.99	-1.27	-.98	---	-.56
L	---	---	---	---	---	---	---	---
17.5 U	-1.10	-.80	-.97	-1.22	-2.71	-1.26	---	-1.09
L	---	---	---	---	---	---	---	---
20.0 U	-1.02	-.81	-1.17	-1.08	-1.22	-.85	-.87	-.55
L	-.80	-.41	-.41	-.44	-.44	-.41	-.38	-.54
30.0 U	-.89	-.83	-.82	-.81	-.95	-.73	-.42	-.42
L	-.50	-.38	-.38	-.33	-.35	-.32	-.28	-.30
40.0 U	-.88	-.82	-.67	-.65	-.82	-.66	-.27	-.40
L	-.40	-.24	-.27	-.25	-.27	-.24	-.14	-.14
50.0 U	-.88	-.80	-.57	-.52	-.79	-.66	-.34	-.38
L	---	-.18	-.22	-.18	-.20	-.17	-.11	-.11
60.0 U	-.84	-.81	-.57	-.63	-.71	-.63	-.33	-.40
L	-.84	-.11	-.15	-.09	-.15	-.14	-.07	-.07
70.0 U	-.83	-.82	-.57	-.52	-.60	-.61	-.32	-.40
L	---	-.01	-.06	-.04	-.06	-.06	-.03	-.03
75.0 U	---	---	---	---	---	---	-.32	-.41
L	---	---	---	---	---	---	-.01	---
75.0 U	---	---	---	---	---	---	---	---
L	---	---	---	---	---	---	---	---
80.0 U	-.80	-.52	-.46	-.54	-.54	-.59	-.54	-.45
L	-.06	-.06	---	-.01	-.04	-.04	-.07	-.08
85.0 U	---	-.73	-.62	-.58	-.48	-.56	-.54	-.43
L	---	-.15	-.08	-.09	-.02	-.09	-.09	-.09
90.0 U	-.78	-.78	-.59	-.55	-.44	-.53	-.54	-.45
L	-.08	-.25	-.10	-.15	-.03	-.10	-.10	-.14
95.0 U	---	-.75	-.57	-.56	-.40	-.50	-.32	-.48
L	---	-.36	-.15	-.24	-.12	-.14	-.17	-.19

NACA

TABLE VII.- PRESSURE COEFFICIENTS<sup>1</sup> FOR THE WING WITH ALL SLATS EXTENDED, 14- TO 97-PERCENT SEMISPAN. FLAPS RETRACTED.  $R = 8 \times 10^6$

SLAT       $\alpha = .01$ 

Orifice Location Percent Chord	STATIONS						
	I	A	III	B	O	D	E
0	-0.48	-0.55	-0.61	0.45	-0.91	-0.88	-0.74
0.25 U	.32	.58	.18	.21	.29	.30	-.25
0.5 U	-1.39	-1.20	-1.84	-1.48	-1.89	-1.54	-.10
0.5 L	.45	.45	.39	.41	.43	.47	.48
1.0 U	-1.35	-1.09	-1.81	-1.58	-1.51	-1.84	-1.18
1.0 L	.41	.41	.47	.48	.46	.49	.44
1.5 U	-1.11	-.91	-.31	-.98	-1.08	-1.08	-.97
1.5 L	.56	.58	.45	.67	.48	.44	.39
2.5 U	-.85	-.64	-.21	-.67	-.78	-.61	-.58
2.5 L	.38	.34	.39	.34	.34	.35	.38
3.5 U	-.71	-.47	-.62	-.55	-.56	-.58	-.40
3.5 L	.32	.38	.29	.24	.29	.29	.29
4.5 U	-.61	-.53	-.46	-.44	-.42	-.40	-.18
4.5 L	.41	.19	.25	.24	.30	.28	---
5.0 U	.16	.19	.22	.19	.23	.11	.19
5.0 L	-.08	-.15	-.25	-.25	-.28	-.22	-.14
7.5 U	-.61	-.18	-.12	-.12	-.14	-.20	.12
7.5 L	.08	.08	.08	.08	.06	.07	.03
10.0 U	-.58	-.17	-.28	-.28	-.27	-.21	-.11
10.0 L	.11	.13	.08	.04	-.08	-.09	-.11
15.0 U	-.24	-.19	-.27	-.26	-.03	-.22	-.21
15.0 L	.24	---	-.18	---	---	---	---
17.5 U	-.48	---	-.27	---	---	---	---
17.5 L	.48	---	.27	---	---	---	---

SLAT       $\alpha = 2.08$ 

Orifice Location Percent Chord	STATIONS						
	I	A	III	B	O	D	E
0	0.09	0	-0.06	0.48	0.08	-0.07	0.06
0.25 U	.45	0.48	.48	.41	.45	.47	.48
0.5 U	-.69	-.68	-.72	-.69	-.78	-.66	-.64
0.5 L	.40	.40	.45	.46	.42	.46	.41
1.0 U	-.78	-.87	-.94	-.70	-.87	-.62	-.81
1.0 L	.52	.52	.61	.37	.34	.36	.34
1.5 U	-.68	-.49	-.51	-.86	-.65	-.50	-.48
1.5 L	.28	.24	.54	.66	.26	.30	.28
2.5 U	-.89	-.48	-.57	-.49	-.47	-.58	---
2.5 L	.17	.19	.17	.22	.17	.21	.18
3.5 U	-.51	-.52	-.50	-.58	-.54	-.50	-.48
3.5 L	.10	.14	.18	.15	.13	.18	.18
4.5 U	-.45	-.20	-.29	-.29	-.24	-.28	-.07
4.5 L	.31	.11	.18	.14	.16	.20	---
5.0 U	.06	.08	.09	.08	.17	.01	.07
5.0 L	-.09	-.18	-.18	-.18	-.14	-.14	-.07
7.5 U	-.48	-.05	-.08	.02	0	.24	.01
7.5 L	.08	.08	.08	.08	.08	.08	.08
10.0 U	-.06	-.07	-.04	-.07	-.08	-.04	-.07
10.0 L	.08	.12	.09	.12	.12	.12	.10
15.0 U	-.16	-.19	-.15	-.11	-.12	-.18	-.18
15.0 L	.20	.23	.24	.24	.24	.20	.28
17.5 U	-.28	---	-.27	---	---	---	---
17.5 L	.41	---	.38	---	---	---	---

WING

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	O	D	VI	E
5.0 U	-0.79	-0.18	-0.24	-0.29	-0.27	-0.22	---	-0.20
5.0 L	-.27	-.20	-.25	-.28	-.29	-.23	---	-.20
7.5 U	-.14	-.19	-.28	-.29	-.29	-.20	---	-.21
7.5 L	-.27	-.21	-.28	-.28	-.29	-.25	---	-.21
10.0 U	-.27	-.21	-.27	-.33	-.31	-.19	---	-.20
10.0 L	-.28	-.21	-.24	-.30	-.21	-.21	---	-.26
12.5 U	-.25	---	-.28	-.34	-.29	---	---	-.18
12.5 L	-.18	-.22	-.19	-.18	-.08	-.11	---	-.17
15.0 U	-.14	-.23	-.08	-.08	-.08	-.14	---	-.13
15.0 L	-.18	-.27	-.33	-.11	-.75	-.23	---	-.48
20.0 U	-.29	-.27	-.31	-.29	-.22	-.23	-0.27	-.21
20.0 L	-.08	-.16	-.04	-.08	-.08	-.13	-.08	-.21
30.0 U	-.21	-.22	-.24	-.21	-.19	-.20	-.19	-.18
30.0 L	-.12	-.14	-.08	-.08	-.08	-.08	-.08	-.07
40.0 U	-.22	-.23	-.19	-.20	-.16	-.18	-.07	-.16
40.0 L	-.16	-.17	-.19	-.11	-.11	-.09	-.12	-.09
50.0 U	-.24	-.21	-.19	-.16	-.14	-.14	-.15	-.14
50.0 L	-.19	-.16	-.12	-.11	-.11	-.10	-.09	-.08
60.0 U	-.20	-.17	-.08	-.12	-.08	-.09	-.11	-.12
60.0 L	-.18	-.15	-.10	-.09	-.07	-.07	-.07	-.08
70.0 U	-.17	-.19	-.13	-.07	-.09	-.08	-.04	-.04
70.0 L	-.15	-.15	-.08	-.04	-.07	-.03	-.04	-.03
75.0 U	---	---	---	---	-.08	-.03	-.04	-.03
80.0 U	-.14	-.07	-.04	-.04	0	.02	-.04	-.01
80.0 L	-.15	-.10	-.03	-.06	0	-.03	-.08	-.03
85.0 U	---	-.04	-.04	-.07	.02	-.01	.02	.03
85.0 L	---	-.02	-.02	.01	.08	-.03	.04	.01
90.0 U	-.10	-.06	.01	.01	.08	.08	.04	.04
90.0 L	-.12	-.07	0	.01	.08	.03	.08	.06
95.0 U	---	-.03	.03	.05	.08	.08	.08	.08
95.0 L	---	-.05	.03	.05	.08	.08	.08	.08

WING

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	O	D	VI	E
5.0 U	-0.95	-0.23	-0.38	-0.38	-0.27	-0.28	---	-0.27
5.0 L	-.21	-.21	-.21	-.21	-.28	-.22	---	-.24
7.5 U	-.28	-.25	-.29	-.29	-.28	-.12	---	-.22
7.5 L	-.48	-.11	-.14	-.20	-.16	-.10	---	-.06
10.0 U	-.29	---	-.21	-.32	-.29	-.27	---	-.26
10.0 L	.38	---	.04	.08	0	---	---	.21
12.5 U	-.29	-.22	-.30	-.31	-.28	-.28	---	-.27
12.5 L	-.29	-.24	-.20	-.28	-.19	-.27	---	-.21
17.5 U	-.21	-.25	-.29	-.27	-.20	-.20	---	-.27
20.0 U	-.29	-.26	-.28	-.28	-.20	-.20	-0.23	-.21
20.0 L	-.08	-.08	-.08	-.09	-.07	-.07	.11	-.09
30.0 U	-.28	-.29	-.29	-.28	-.24	-.25	-.24	-.22
30.0 L	-.08	-.10	-.07	-.08	-.08	-.03	0	-.08
40.0 U	-.27	-.27	-.25	-.24	-.21	-.20	-.07	-.20
40.0 L	-.12	-.15	-.10	-.09	-.08	-.07	-.11	-.09
50.0 U	-.26	-.23	-.21	-.19	-.17	-.16	-.18	-.16
50.0 L	-.14	-.19	-.08	-.08	-.09	-.09	-.09	-.08
60.0 U	-.24	-.19	-.12	-.12	-.11	-.10	-.11	-.14
60.0 L	-.15	-.10	-.09	-.07	-.08	-.08	-.08	-.08
70.0 U	-.19	-.13	-.14	-.08	-.10	-.08	-.04	-.08
70.0 L	-.12	-.10	-.04	-.03	-.05	-.01	.03	-.02
75.0 U	---	---	---	---	-.09	-.01	-.03	-.04
80.0 U	-.15	-.07	-.07	-.03	-.06	0	-.02	0
80.0 L	-.13	-.08	0	-.07	.02	.04	-.02	-.02
85.0 U	---	-.04	.04	-.07	.01	.01	.02	.02
85.0 L	---	-.06	0	.05	.05	-.02	.04	.01
90.0 U	-.11	-.08	.01	.02	.03	.04	.04	.04
90.0 L	-.10	-.08	.02	.02	.02	.02	.02	.02
95.0 U	---	-.02	.04	.05	.06	.06	.06	.06
95.0 L	---	-.02	.04	.05	.05	.06	.06	.06

NACA

<sup>1</sup>Pressure coefficients tabulated are defined as  $(p_1 - p_0)/q$

TABLE VII. - CONTINUED

SLAT  $\alpha = 4.15$

Orifice Location Percent Chord	STATIONS						
	I	A	III	B	G	D	E
0	0.35	0.37	0.35	0.48	0.40	0.36	0.30
0.25 U	.37	.34	.44	.45	.42	.48	.41
0.25 L	.33	.36	.14	.06	.18	.03	.01
0.5 U	.25	.20	.35	.35	.28	.28	.29
0.5 L	.34	.14	.25	.18	.12	.16	.15
1.0 U	.13	.07	.22	.18	.14	.17	.14
1.0 L	.35	.18	.29	.19	.19	.19	.15
1.5 U	.07	.04	.14	.25	.06	.08	.06
1.5 L	.35	.17	.28	.17	.20	.14	.05
2.5 U	0	0	.05	.03	.01	.05	0
2.5 L	.24	.14	.22	.18	.17	.13	.15
3.5 U	.05	.03	.03	.04	.02	.03	.03
3.5 L	.31	.10	.19	.13	.14	.11	.08
4.6 U	.27	.07	.17	.12	.13	.09	.07
5.0 U	.09	.06	.05	.07	.07	.15	.06
5.0 L	.07	.07	.20	.15	.14	.09	.09
7.5 U	.13	.17	.15	.11	.12	.06	.09
7.5 L	.45	.19	.29	.20	.32	.26	.20
10.0 U	.17	.19	.16	.15	.17	.15	.16
10.0 L	.50	.15	.35	.22	.30	.09	.23
15.0 U	.24	.29	.25	.18	.28	.29	.23
15.0 L	.07	.31	.07	.45	.07	.24	.25
17.5 U	.21	.09	.25	.05	.07	.07	.05
17.5 L	.41	.05	.55	.05	.05	.05	.05

SLAT  $\alpha = 6.18$

Orifice Location Percent Chord	STATIONS						
	I	A	III	B	G	D	E
0	0.43	0.43	0.48	0.48	0.40	0.45	0.46
0.25 U	.18	0	.19	.25	.03	.06	.15
0.25 L	.16	.29	.30	.31	.36	.35	.40
0.5 U	.02	.16	.02	.01	.13	.15	.08
0.5 L	.03	.19	.17	.19	.20	.23	.19
1.0 U	.10	.25	.13	.15	.25	.21	.18
1.0 L	.04	.08	.23	.09	.14	.13	.12
1.5 U	.15	.22	.12	.25	.27	.28	.19
1.5 L	.08	.08	.13	.08	.07	.08	.08
2.5 U	.19	.23	.34	.21	.25	.25	.24
2.5 L	.13	.01	.01	.01	.03	.05	.05
3.5 U	.23	.22	.22	.24	.27	.27	.16
3.5 L	.14	.01	.02	.02	0	0	0
4.6 U	.17	.05	.18	.14	.07	.06	.05
5.0 U	.24	.24	.25	.25	.27	.21	.23
5.0 L	.07	.11	.15	.15	.15	.05	.04
7.5 U	.24	.31	.29	.27	.29	.28	.23
7.5 L	.27	.29	.29	.29	.28	.28	.28
10.0 U	.27	.30	.30	.30	.32	.32	.28
10.0 L	.31	.10	.30	.21	.25	.08	.11
15.0 U	.31	.28	.28	.28	.29	.21	.28
15.0 L	.07	.25	.13	.13	.13	.12	.13
17.5 U	.35	.29	.29	.29	.29	.29	.29
17.5 L	.33	.29	.31	.29	.29	.29	.29

WING

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	G	D	VI	E
5.0 U	-1.28	-0.40	-0.51	-0.54	-0.68	-0.29	---	-0.51
5.0 L	.63	.30	.50	.78	.53	.27	---	.54
7.5 U	.35	.03	.07	.15	.29	.03	---	.27
7.5 L	.32	.35	.39	.43	.35	.52	---	.32
10.0 U	.48	.09	.28	.47	.44	.07	---	.42
10.0 L	.36	---	.45	.36	.59	.36	---	.36
12.5 U	.36	---	.31	.37	.37	---	---	.37
12.5 L	.29	.44	.41	.40	.40	.37	---	.34
15.0 U	.32	.45	.41	.41	.36	.37	---	.34
15.0 L	.40	.30	.37	.42	.37	.44	---	.37
20.0 U	.60	.48	.58	.22	.43	.38	-0.48	.36
20.0 L	.09	.02	.09	.08	.10	.11	---	.10
30.0 U	.38	.39	.37	.36	.31	.31	.30	.27
30.0 L	0	.07	.05	.11	.02	.01	.03	.03
40.0 U	.33	.34	.50	.30	.26	.26	.08	.22
40.0 L	.08	.10	.07	.07	.04	.05	.06	.04
50.0 U	.32	.29	.27	.23	.21	.20	.18	.18
50.0 L	.08	.10	.07	.06	.05	.06	.06	.06
60.0 U	.12	.08	.15	.18	.15	.12	.19	.15
60.0 L	.12	.08	.07	.06	.08	.06	.06	.08
70.0 U	.22	.22	.17	.10	.11	.06	.06	.05
70.0 L	.09	.09	.03	.02	.04	.07	.03	.01
75.0 U	.16	.06	.07	.07	.07	.03	.04	.04
75.0 L	.11	.06	.02	.02	.04	.02	.02	.02
85.0 U	.06	.06	.02	.02	0	.01	.02	.01
85.0 L	.06	.06	.02	.02	.03	.02	.02	.01
90.0 U	.12	.06	0	.02	.02	.04	.03	.03
90.0 L	.09	.05	.05	.02	.04	.02	.03	.03
95.0 U	.05	.05	.03	.03	.04	.08	.06	.04
95.0 L	.05	.04	.04	.04	.04	.05	.05	.06

WING

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	G	D	VI	E
5.0 U	-1.31	-0.66	-1.15	-1.32	-0.82	-0.90	---	-0.55
5.0 L	.42	.35	.51	.74	.60	.30	---	.54
7.5 U	.40	.49	.64	.41	.52	.58	---	.43
7.5 L	.42	.32	.35	.50	.42	.44	---	.37
10.0 U	.51	.47	.47	.51	.47	.49	---	.43
10.0 L	.43	---	.60	.38	.55	.49	---	.36
12.5 U	.36	---	.33	.39	.38	---	---	.36
12.5 L	.20	.27	.28	.39	.28	.23	---	.28
15.0 U	.47	.55	.51	.37	.49	.49	---	.48
15.0 L	.48	.34	.79	.55	1.07	.90	---	1.25
20.0 U	.60	.57	.64	.70	.54	.51	-0.03	.54
20.0 L	.15	.09	.15	.16	.16	.13	.17	.13
30.0 U	.41	.44	.45	.45	.40	.38	.36	.36
30.0 L	.08	.01	.02	.07	.05	.08	.08	.08
40.0 U	.36	.33	.34	.34	.33	.30	.29	.30
40.0 L	.02	.04	0	.01	.01	.01	.05	.03
50.0 U	.38	.31	.29	.28	.25	.25	.20	.23
50.0 L	.06	.05	.02	0	.01	.02	.02	.04
60.0 U	.30	.25	.17	.21	.15	.14	.13	.19
60.0 L	.07	.06	.03	.01	.02	.01	.03	.08
70.0 U	.24	.23	.18	.12	.12	.08	.06	.09
70.0 L	.06	.08	0	.02	0	.03	.01	.01
75.0 U	.18	.08	.08	.10	.08	.06	.05	.07
75.0 L	.18	.08	.08	.08	.07	.04	.06	.01
80.0 U	.08	.03	.03	.03	.03	.07	0	.01
85.0 U	.07	.01	.01	.08	.01	.02	.01	.01
85.0 L	.06	.06	.03	.05	.05	.05	.05	.05
90.0 U	.14	.06	0	.02	.02	.02	.02	.02
90.0 L	.07	.03	.03	.04	.06	.04	.03	.04
95.0 U	.05	.03	.03	.04	.06	.04	.05	.05
95.0 L	.02	.04	.06	.06	.06	.06	.04	.07

NACA















TABLE VII. - CONCLUDED

SLAT  $\alpha = 25.91$ 

Orifice Location Percent Chord	STATIONS						
	I	A	III	B	C	D	E
0	-12.44	-1.74	-1.46	-0.97	-0.89	-1.96	-1.70
0.25 U	-13.30	-1.45	-1.22	---	-.72	-1.44	-1.43
L	---	-.83	-.84	-.58	-.19	-.61	-.31
0.5 U	-8.26	-1.42	-1.22	-.97	-.71	-1.45	-1.39
L	-2.25	-.34	-.14	-.09	-.09	-.18	-.07
1.0 U	-6.36	-1.37	-1.20	-.97	-.69	-1.67	-1.53
L	-.60	.11	---	-.32	-.43	-.24	-.25
1.5 U	-5.36	-1.37	-1.24	-.92	-.68	-1.48	-1.64
L	-.05	-.34	-.33	-.46	-.47	-.39	---
2.5 U	-4.21	-1.35	-1.12	-.98	-.65	-.84	-1.67
L	-.42	-.50	-.51	-.56	-.53	-.47	-.45
3.5 U	-3.71	-1.35	-1.09	-.96	-.67	-.74	-2.00
L	-.58	-.56	-.56	-.46	-.52	-.47	-.26
4.6 U	-.62	-.59	-.47	-.53	-.47	-.42	---
5.0 U	-3.36	-1.36	-1.05	-.96	-.66	-.85	-1.80
L	---	-.57	-.41	-.44	-.41	-.42	-.33
7.5 U	-2.75	-1.37	-1.06	-.95	-.67	-.74	-.76
L	-.57	-.59	-.42	-.46	-.41	-.43	---
10.0 U	-2.52	-1.39	-1.05	-.96	-.68	-.85	-.58
L	-.59	-.56	-.46	-.46	-.41	-.47	-.41
15.0 U	-1.87	-1.39	-1.02	-.95	-.67	-.72	-.59
L	-.12	-.53	-.05	-.34	-.02	-.05	-.12
17.5 U	-1.76	---	-.77	---	---	---	---
L	-1.34	---	-.69	---	---	---	---

WING

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	C	D	VI	E
5.0 U	-0.64	-0.64	-0.99	-1.03	-0.11	0.05	---	-0.55
6.0 U	-.37	-.93	-.92	-.53	-.57	-.30	---	-.75
L	-.65	-.62	-.54	-.41	-.53	-.54	---	-.40
7.5 U	-1.51	-1.93	-1.39	-1.29	-.91	-.72	---	-.93
L	-.64	-.62	-.55	-.54	-.52	-.54	---	-.40
10.0 U	-1.69	---	-1.22	-1.33	-.87	-.64	---	-.75
L	-.71	---	-.53	-.54	-.50	---	---	-.26
12.5 U	-1.63	-1.43	-1.08	-1.17	-.77	-.55	---	-.54
15.0 U	-1.47	-1.32	-.93	-1.05	-.82	-.47	---	-.46
17.5 U	-1.42	-1.78	-1.31	-.95	-1.34	-.53	---	-.97
20.0 U	-1.73	-1.25	-1.02	-1.14	-.68	-.44	-0.58	-.45
L	-.59	-.43	-.44	-.42	-.40	-.38	-.36	-.34
30.0 U	-1.16	-.99	-.81	-.82	-.58	-.43	-.34	-.33
L	-.50	-.34	-.33	-.37	-.30	-.27	-.26	-.18
40.0 U	-1.04	-.89	-.64	-.64	-.47	-.40	-.10	-.32
L	-.40	-.27	-.25	-.27	-.28	-.20	-.12	-.14
50.0 U	-.94	-.84	-.60	-.54	-.45	-.36	-.29	-.31
L	-.32	-.21	-.18	-.19	-.14	-.12	-.09	-.09
60.0 U	-.78	-.61	-.59	-.52	-.44	-.34	-.29	-.31
L	-.25	-.16	-.09	-.12	-.10	-.08	-.04	-.07
70.0 U	-.64	-.78	-.62	-.50	-.45	-.33	-.25	-.29
L	-.21	-.08	-.05	-.05	-.01	-.04	-.01	-.01
73.0 U	---	---	---	---	-.45	-.34	-.27	-.29
80.0 U	-.49	-.45	-.45	-.43	-.40	-.34	-.26	-.29
L	-.12	-.04	-.03	---	-.02	-.03	-.04	-.05
85.0 U	---	-.66	-.59	-.49	-.42	-.33	-.26	-.29
L	---	-.01	-.09	-.05	-.03	-.10	-.03	-.07
90.0 U	-.41	-.58	-.59	-.50	-.42	-.34	-.26	-.29
L	-.03	-.07	-.16	-.13	-.09	-.11	-.08	-.09
95.0 U	---	-.51	-.58	-.49	-.42	-.34	-.25	-.29
L	---	-.16	-.27	-.20	-.20	-.17	-.13	-.18

NACA

RESTRICTED

TABLE VIII. - PRESSURE COEFFICIENTS<sup>1</sup> FOR THE WING WITH SLATS EXTENDED, 40- TO 97-PERCENT SEMISPAN. FLAPS DEFLECTED. R = 8x10<sup>6</sup>

SLAT c = -4.14

Table with 6 columns: Orifice Location Percent Chord, STATIONS (III, B, C, D, E), and rows for various slat locations (0 to 17.5).

SLAT c = -4.14

Table with 6 columns: Orifice Location Percent Chord, STATIONS (III, B, C, D, E), and rows for various slat locations (0 to 17.5).

WING

Table with 8 columns: Orifice Location Percent Chord, STATIONS (I, A, B, III, O, D, VI, E), and rows for various wing locations (0 to 98.0).

WING

Table with 8 columns: Orifice Location Percent Chord, STATIONS (I, A, B, III, O, D, VI, E), and rows for various wing locations (0 to 98.0).

FORE FLAP

Table with 4 columns: Orifice Location Percent Chord, STATIONS (A, III, B), and rows for fore flap locations (0 to 6.0).

MAIN FLAP

Table with 4 columns: Orifice Location Percent Chord, STATIONS (A, III, B), and rows for main flap locations (75.0A to 96.0).

FORE FLAP

Table with 4 columns: Orifice Location Percent Chord, STATIONS (A, III, B), and rows for fore flap locations (0 to 6.0).

MAIN FLAP

Table with 4 columns: Orifice Location Percent Chord, STATIONS (A, III, B), and rows for main flap locations (75.0A to 96.0).

<sup>1</sup>Pressure coefficients tabulated are defined as (p2 - p1)/q





TABLE VIII.- CONTINUED

SLAT       $\alpha = 0.15$ 

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	0.39	—	0.48	0.98	0.17
0.25	0.38	0.48	—	0.44	—
0.5	0.37	0.46	0.48	—	0.44
1.0	0.37	0.44	0.48	—	0.44
1.5	0.36	0.44	0.48	—	0.44
2.5	0.36	0.44	0.48	—	0.44
3.5	0.35	0.44	0.48	—	0.44
4.5	0.35	0.44	0.48	—	0.44
5.0	0.34	0.44	0.48	—	0.44
7.5	0.33	0.44	0.48	—	0.44
10.0	0.32	0.44	0.48	—	0.44
15.0	0.30	0.44	0.48	—	0.44
17.5	0.29	0.44	0.48	—	0.44

SLAT       $\alpha = 2.34$ 

Orifice Location Percent Chord	STATIONS				
	III	B	C	D	E
0	0.42	—	0.28	0.48	0.44
0.25	0.05	0.17	—	0.18	—
0.5	0.37	0.38	0.32	0.36	—
1.0	0.37	0.38	0.32	0.36	—
1.5	0.37	0.38	0.32	0.36	—
2.5	0.37	0.38	0.32	0.36	—
3.5	0.37	0.38	0.32	0.36	—
4.5	0.37	0.38	0.32	0.36	—
5.0	0.37	0.38	0.32	0.36	—
7.5	0.37	0.38	0.32	0.36	—
10.0	0.37	0.38	0.32	0.36	—
15.0	0.37	0.38	0.32	0.36	—
17.5	0.37	0.38	0.32	0.36	—

WING

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	C	D	VI	E
0	0.37	0.38	—	—	—	—	—	—
0.25	0.08	0.38	—	—	—	—	—	—
0.5	0.37	0.38	—	—	—	—	—	—
1.0	0.37	0.38	—	—	—	—	—	—
1.5	0.37	0.38	—	—	—	—	—	—
2.5	0.37	0.38	—	—	—	—	—	—
3.5	0.37	0.38	—	—	—	—	—	—
4.5	0.37	0.38	—	—	—	—	—	—
5.0	0.37	0.38	—	—	—	—	—	—
6.0	0.37	0.38	—	—	—	—	—	—
7.5	0.37	0.38	—	—	—	—	—	—
10.0	0.37	0.38	—	—	—	—	—	—
12.5	0.37	0.38	—	—	—	—	—	—
15.0	0.37	0.38	—	—	—	—	—	—
17.5	0.37	0.38	—	—	—	—	—	—
20.0	0.37	0.38	—	—	—	—	—	—
30.0	0.37	0.38	—	—	—	—	—	—
40.0	0.37	0.38	—	—	—	—	—	—
50.0	0.37	0.38	—	—	—	—	—	—
60.0	0.37	0.38	—	—	—	—	—	—
70.0	0.37	0.38	—	—	—	—	—	—
75.0	0.37	0.38	—	—	—	—	—	—
80.0	0.37	0.38	—	—	—	—	—	—
85.0	0.37	0.38	—	—	—	—	—	—
90.0	0.37	0.38	—	—	—	—	—	—
95.0	0.37	0.38	—	—	—	—	—	—

WING

Orifice Location Percent Chord	STATIONS							
	I	A	B	III	C	D	VI	E
0	-0.04	-1.86	—	—	—	—	—	—
0.25	-0.08	-2.47	—	—	—	—	—	—
0.5	-0.37	-1.15	—	—	—	—	—	—
1.0	-0.48	0.48	—	—	—	—	—	—
1.5	-0.51	-1.09	—	—	—	—	—	—
2.5	-0.51	-1.13	—	—	—	—	—	—
3.5	-0.51	-1.13	—	—	—	—	—	—
4.5	-0.51	-1.13	—	—	—	—	—	—
5.0	-0.51	-1.13	—	—	—	—	—	—
6.0	-0.51	-1.13	—	—	—	—	—	—
7.5	-0.51	-1.13	—	—	—	—	—	—
10.0	-0.51	-1.13	—	—	—	—	—	—
12.5	-0.51	-1.13	—	—	—	—	—	—
15.0	-0.51	-1.13	—	—	—	—	—	—
17.5	-0.51	-1.13	—	—	—	—	—	—
20.0	-0.51	-1.13	—	—	—	—	—	—
30.0	-0.51	-1.13	—	—	—	—	—	—
40.0	-0.51	-1.13	—	—	—	—	—	—
50.0	-0.51	-1.13	—	—	—	—	—	—
60.0	-0.51	-1.13	—	—	—	—	—	—
70.0	-0.51	-1.13	—	—	—	—	—	—
75.0	-0.51	-1.13	—	—	—	—	—	—
80.0	-0.51	-1.13	—	—	—	—	—	—
85.0	-0.51	-1.13	—	—	—	—	—	—
90.0	-0.51	-1.13	—	—	—	—	—	—
95.0	-0.51	-1.13	—	—	—	—	—	—

PORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-2.82	-1.69	-1.78
1.0	-4.60	-0.47	-2.68
2.0	-4.87	0.46	-2.40
3.0	-3.37	0.56	-2.19
4.0	-4.84	-1.39	-1.74
4.0	-4.84	-1.39	-1.74
5.0	-4.84	-1.39	-1.74
6.0	-4.84	-1.39	-1.74
6.0	-4.84	-1.39	-1.74

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0	-0.26	-0.18	-0.20
75.25	0	—	—
75.5	-0.66	-0.45	-0.56
76.0	-1.14	-0.78	-1.21
77.5	-1.89	-1.15	-1.93
80.0	-2.82	-1.69	-1.78
82.5	-4.84	-1.39	-1.74
85.0	-4.84	-1.39	-1.74
90.0	-4.84	-1.39	-1.74
95.0	-4.84	-1.39	-1.74

PORE FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-2.80	-1.91	-1.78
1.0	-4.67	-0.45	-2.69
2.0	-4.80	0.46	-2.36
3.0	-3.60	0.55	-2.13
4.0	-4.87	-1.39	-1.73
5.0	-4.87	-1.39	-1.73
6.0	-4.87	-1.39	-1.73

MAIN FLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0	-0.26	-0.17	-0.63
75.25	0	—	—
75.5	-0.66	-0.44	-0.64
76.0	-1.14	-0.78	-1.24
77.5	-1.89	-1.15	-1.94
80.0	-2.82	-1.69	-1.80
82.5	-4.84	-1.39	-1.74
85.0	-4.84	-1.39	-1.74
90.0	-4.84	-1.39	-1.74
95.0	-4.84	-1.39	-1.74

NACA

























TABLE IX. - CONCLUDED

SLAT  $\alpha = 15.37$

Orifice Location Percent Chord	STATIONS						
	I	A	III	B	C	D	E
0	-7.50	-11.15	-3.15	---	-1.90	-2.66	---
0.25 U	-7.14	-9.00	-5.00	-2.56	-1.65	-2.62	-3.81
L	-1.78	-3.70	-2.12	-1.44	-.89	-1.17	---
0.5 U	-3.22	-5.75	-2.79	-2.32	-1.27	-2.32	-3.25
L	-.88	-2.04	-.50	-.60	-.27	-.80	-.36
1.0 U	-4.04	-6.15	-2.78	-2.25	-1.54	-2.08	-2.98
L	.10	-.75	---	.07	.25	.06	.10
1.5 U	-6.39	-2.78	-2.72	---	-1.45	-2.04	---
L	.36	-.10	-.21	---	.51	.27	-.04
2.5 U	-2.74	-5.47	-2.66	-2.18	-1.38	-1.78	-2.18
L	.80	.34	.11	-.49	-.43	.37	.37
3.5 U	-2.21	-4.47	-2.57	-2.12	-1.41	-1.61	-1.43
L	.92	.50	.51	.52	.45	.38	.25
5.0 U	-1.93	-3.64	-2.44	-2.09	-1.40	---	-1.37
L	.44	.80	.66	.43	.35	.54	.23
7.5 U	-1.58	-2.81	-2.45	-2.10	-1.40	-1.28	-1.30
L	.89	.85	.15	.47	.41	.35	.54
10.0 U	-1.40	-2.20	-2.43	-2.14	-1.45	-1.37	-1.16
L	.48	.27	.39	.37	.58	.39	.32
15.0 U	-1.21	-1.72	-2.36	-2.14	-1.41	-1.10	-.94
L	.04	-.54	-.25	-.68	-.02	-.12	.29
17.5 U	-1.15	---	-2.25	---	---	---	---
L	-.74	---	-1.27	---	---	---	---

WING

Orifice Location Percent Chord	STATIONS						
	I	A	B	III	C	D	VI
5.0 U	-0.62	-0.74	-2.19	-2.14	-0.80	-0.09	---
L	---	---	---	---	---	---	-0.78
7.5 U	-1.20	-2.11	-2.23	-2.55	-1.75	-.97	---
L	.28	.64	.22	.42	.48	---	-.41
10.0 U	-1.22	-2.42	-2.55	-2.87	-1.71	-.43	---
L	.64	---	.83	.52	.44	---	-.20
12.5 U	-1.26	-1.78	-2.00	-2.13	-1.32	-.74	---
L	.12	.16	.12	.12	.12	---	-.71
15.0 U	-1.18	-1.61	-1.82	-1.79	-1.02	-.85	---
L	.13	.22	.17	.17	.16	---	-.62
20.0 U	-1.42	-1.58	-1.52	-1.69	-.89	-.60	-0.79
L	.22	.51	.42	.45	.37	.30	.28
30.0 U	-.90	-1.12	-1.11	-1.10	-.68	-.56	-.45
L	.44	.47	.42	.44	.24	.23	.13
40.0 U	-.80	-1.03	-.95	-.86	-.63	-.52	---
L	.38	.45	.40	.39	.21	.14	.03
50.0 U	-.76	-.92	-.90	-.79	-.62	-.51	-.34
L	.35	.45	.36	.36	.15	.06	-.02
60.0 U	-.67	-.83	-.81	-.74	-.64	-.51	-.33
L	.33	.45	.37	.34	.10	.03	-.03
70.0 U	-.64	-.90	-.80	-.80	-.63	-.51	-.34
L	.35	.46	.37	.35	0	-.01	-.06
75.0 U	---	---	---	---	-.62	---	---
L	---	---	---	---	.68	---	---
80.0 U	-.67	-1.02	-.87	---	-.67	-.50	-.33
L	.34	.10	.08	---	.04	.04	.11
85.0 U	---	---	---	---	-.58	-.49	-.33
L	---	---	---	---	.10	.12	.11
90.0 U	-.78	---	---	---	-.52	-.50	-.32
L	.01	---	---	---	.17	.15	.11
95.0 U	---	---	---	---	-.60	-.51	-.32
L	---	---	---	---	.27	.30	.17

FORE PLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
0	-1.90	-0.86	-1.43
1.0 U	-2.95	-1.63	-2.24
L	.48	.47	.59
2.0 U	-3.27	-1.54	-1.90
L	.65	.55	.56
3.0 U	-3.00	-1.08	-1.42
L	.87	---	.47
4.0 U	-2.13	-1.01	-1.14
L	.49	.52	.55
5.0 U	-1.56	-.88	-1.10
L	.37	.47	.29
6.0 U	-1.13	-.69	-1.10
L	.15	.42	.15

MAIN PLAP

Orifice Location Percent Chord	STATIONS		
	A	III	B
75.0	0.24	0.03	-0.59
75.25 U	---	---	---
L	---	---	-.07
75.5 U	-.70	-.14	.01
L	.56	.29	.14
75.0 U	-.94	-.40	-1.12
L	.64	.45	.38
77.5 U	-1.70	-.79	-1.24
L	.67	.42	.53
80.0 U	-.94	-.25	-.70
L	.63	.49	.23
82.5 U	-.68	-.75	---
L	.59	.44	.53
85.0 U	-.47	-.65	-.61
L	.53	.61	.50
90.0 U	-.27	-.22	-.40
L	.41	.22	.40
95.0 U	-.15	-.38	-.22
L	.64	.17	.35

NACA

.

.

.

.

.

.

.

.

.





Figure 1.- Dimensions of the semispan wing-fuselage model.





(a) Flaps and all slats extended.

Figure 2.— Photographs of the semispan model installation in the Ames 40— by 80—foot wind tunnel.



(b) The 40- to 97-percent semispan, slats extended; aileron deflected  $-20^{\circ}$ .

Figure 2.- Concluded.




Figure 3.—Details of the double-slotted flaps, leading-edge slats and aileron.




Figure 4.—Location and designation diagram of pressure orifice stations.



(a)  $C_L$  vs  $C_D$ ,  $\alpha$ 

Figure 5.— Aerodynamic characteristics of the model with various spans of leading-edge slats extended. Flaps retracted.



(b)  $C_L$  vs  $C_m$

Figure 5.—Concluded.



(a)  $C_L$  vs  $C_D$ ,  $\alpha$ 

Figure 6.—Aerodynamic characteristics of the model with various spans of leading-edge slats extended. Flaps deflected.



(b)  $C_L$  vs  $C_m$

Figure 6 .— Concluded.









Figure 7.—Aerodynamic characteristics of the model with various aileron deflections. Flaps retracted.



(b)  $C_L$  vs  $a$ ,  $C_r$  vs  $a$

Figure 7.— Concluded.




(a)  $C_L$  vs  $C_D$ ,  $C_m$ 

Figure 8.—Aerodynamic characteristics of the model with various aileron deflections. Flaps retracted, slats extended 80-to 97-percent semispan.



$\delta_a$   
 $\triangle - 10^\circ$   
 $\circ - 0^\circ$   
 $\square - 10^\circ$



(b)  $C_L$  vs  $a$ ,  $C_l$  vs  $a$

Figure 8.—Concluded.






Figure 9.—Aerodynamic characteristics of the model with various aileron deflections. Flaps retracted, slats extended 60-to 97-percent semispan.



- $\triangle$   $-20^\circ$
- $\square$   $-10^\circ$
- $\circ$   $0^\circ$
- $\diamond$   $10^\circ$
- $\triangle$   $20^\circ$



(b)  $C_L$  vs  $\alpha$ ,  $C_l$  vs  $\alpha$

Figure 9. — Concluded.





Figure 10.—Aerodynamic characteristics of the model with various deflections of the aileron. Flaps retracted, slats extended 40-to 97-percent semispan.



(b)  $C_L$  vs  $a$ ,  $C_l$  vs  $a$

Figure 10.—Concluded.






(a)  $C_L$  vs  $C_D$ ,  $C_m$ 

Figure 11.—Aerodynamic characteristics of the model with various deflections of the aileron. Flaps retracted, slats extended 20-to 97-percent semispan.



$\delta$   
 $\triangle - 20^\circ$   
 $\circ 0^\circ$   
 $\square 20^\circ$



(b)  $C_L$  vs  $\alpha$ ,  $C_l$  vs  $\alpha$

Figure 11. — Concluded.






Figure 12.—Aerodynamic characteristics of the model with various aileron deflections. Flaps retracted, slats extended 14-to 97-percent semispan.



- $\delta$
- $\triangle$   $-20^\circ$
  - $\triangle$   $-10^\circ$
  - $\circ$   $0^\circ$
  - $\square$   $10^\circ$
  - $\diamond$   $15^\circ$
  - $\triangle$   $20^\circ$



(b)  $C_L$  vs  $a$ ,  $C_l$  vs  $a$

Figure 12.—Concluded.






Figure 13.— Aerodynamic characteristics of the model with various aileron deflections. Flaps deflected.



(b)  $C_L$  vs  $a$ ,  $C_l$  vs  $a$

Figure 13.—Concluded.




(a)  $C_L$  vs  $C_D$ ,  $C_m$ 


Figure 14.—Aerodynamic characteristics of the model for various aileron deflections. Flaps deflected, slats extended 80-to 97-percent semispan.



(b)  $C_L$  vs  $\alpha$ ,  $C_l$  vs  $\alpha$


Figure 14.— Concluded.






(a)  $C_L$  vs  $C_D$ ,  $C_m$

Figure 15.—Aerodynamic characteristics of the model with various aileron deflections. Flaps deflected, slats extended 60-to 97-percent semispan.



$\delta_a$

- $\triangle - 20^\circ$
- $\triangle - 10^\circ$
- $\circ 0^\circ$
- $\square 10^\circ$
- $\diamond 15^\circ$
- $\triangle 20^\circ$



(b)  $C_L$  vs  $a$ ,  $C_l$  vs  $a$

Figure 15.—Concluded.





Figure 16.—Aerodynamic characteristics of the model with various aileron deflections. Flaps deflected, slats extended 40-to 97-percent semispan.



(b)  $C_L$  vs  $a$ ,  $C_l$  vs  $a$   
 Figure 16.—Concluded.




Figure 17.—Aerodynamic characteristics of the model with various aileron deflections. Flaps deflected, slats extended 20- to 97-percent semispan.


(b)  $C_L$  vs  $\alpha$ ,  $C_l$  vs  $\alpha$ 

Figure 17.— Concluded.






Figure 18.—Aerodynamic characteristics of the model with various aileron deflections. Flaps deflected, slats extended 14-to 97-percent semispan.



$\delta$

- $\triangle$  -  $20^\circ$
- $\square$  -  $10^\circ$
- $\circ$  -  $0^\circ$
- $\diamond$  -  $10^\circ$
- $\nabla$  -  $20^\circ$



(b)  $C_L$  vs  $\alpha$ ,  $C_l$  vs  $\alpha$   
Figure 18.— Concluded.






Figure 19.—Aerodynamic characteristics of the model with various deflections of the main flap.  
 With slats extended 14-to-97-percent semispan.




Figure 20.—Aerodynamic characteristics of the model with the main flap deflected  $50^\circ$  and  $55^\circ$ . Slats retracted.






Figure 21.—Aerodynamic characteristics of the model at various Reynolds numbers. Flaps retracted.




(b)  $C_L$  vs  $C_m$   
 Figure 21.—Concluded.





(a)  $C_L$  vs  $C_D$ ,  $\alpha$

Figure 22.—Aerodynamic characteristics of the model with various spans of slats.  $R$ ,  $3 \times 10^6$ . Flaps retracted.



(b)  $C_L$  vs  $C_m$

Figure 22. — Concluded.








Figure 23.— Aerodynamic characteristics of the model at various Reynolds numbers. Flaps deflected.



(a)  $C_L$  vs  $C_D$ ,  $\alpha$

Figure 24.—Aerodynamic characteristics of the model with various spans of slats.  $R, 3 \times 10^6$ . Flaps deflected.





(b)  $C_L$  vs  $C_m$   
 Figure 24.— Concluded.




Figure 25.— Variation of maximum lift coefficient with slat span, with and without flaps deflected.




Figure 26.—Variation of lift coefficient for onset of abrupt drag rise with slat span, with and without flaps deflected.




Figure 27.— Variation of maximum lift coefficient with Reynolds number for several configurations.




Figure 28.— Variation of lift coefficient for onset of abrupt drag rise,  $C_{L\text{sep}}$ , with Reynolds number, for several configurations.




Figure 29.- Variation of lift coefficient with flap deflection at  $\alpha, 0^\circ$ .

SECURITY INFORMATION



3 1176 01434 8297

